
Re: DENR Request for Inspection

1 message

Glen Lisboa <glennonolisboa@gmail.com>

Wed, Aug 25, 2021 at 11:38 AM

To: "ardts.mimaropa@gmail.com" <ardts.mimaropa@gmail.com>

Cc: "mimaroparegion@denr.gov.ph" <mimaroparegion@denr.gov.ph>, "cenrocoron@denr.gov.ph" <cenrocoron@denr.gov.ph>, "penropalawan@denr.gov.ph" <penropalawan@denr.gov.ph>

This is to follow-up our receipt of report/query and complaints regarding this matter..

RECEIPT: "Is it possible that they can approved the SEP without inspecting the site?"

We want to site the Ease of Doing Business Law pertaining to the responsiveness of government agencies that truly cares for the environment and the people. Sec. 9, par. (b): "(1) All applications or requests submitted shall be acted upon by the assigned officer or employee within the prescribed processing time stated in the Citizen's Charter which shall not be longer than three (3) working days in the case of simple transactions and seven (7) working days in the case of complex transactions from the date the request and/or complete application or request was received."

Thank you very much po, hoping for kind and gentle actions to our concerns..

More power.

...

"Is it possible that they can approved the SEP without inspecting the site?"

The report, query and complaints:

1. Walang DENR - ENVIRONMENTAL COMPLIANCE CERTIFICATE (ECC)
2. PCSD - STRATEGIC ENVIRONMENTAL PLAN (SEP) clearance (approval without inspections and reviews? Atty. Matta of PCSD said it was already approved by their own council?) below is the link of interview;
<https://www.facebook.com/Dzip864RadyoPalaweno/videos/383351169879972/>
3. Nasa harap mismo ng daungan ang bahura.
4. Maliit ang kalsada na magiging dahilan ng trapik sa daan.
5. Sisirain ng mga pondo ng banka ang mga corals na syang tirahan ng mga isda.
6. Meron ng existing boat landing just 50 meters away from the site.
7. Sinisira nito ang aesthetic value ng lugar as boulevard.
8. Hindi nito pinahalagahan ang historical value nang sanitarium pa ang culion.
9. Malakas ang amihan sa lugar na ito at open sa habagat tuwing bagyo kaya imposibleng daungan.
10. Kapag mababaw ang dagat o low tide imposibleng makadunggo ang mga bangka dahil bahura sa harap nito.
11. Ito ay considered na NO-Build-Zone dahil na rin sa historical at aesthetic values at sa mga corals o bahura nito.
13. Napakarami ng boat landing ang poblacion so hindi na ito kailangan pa. Meron sa Culango na dapat lang ayusin o dugtungan. Meron sa Jardín, sa Libis at sa Osmeña. Dapat nga isa lang para sentro at madaling makontrol ang mga bangka.
14. Hindi ito ang original site na pinag-usapan ng barangay officials. Na ang mga opisyaales mismo ang nagsasabi.
15. Bakit binago na walang kaalam-alam ang mga opisyaales ng barangay?
16. At bakit pinimahan nila ito? Na alam nilang mali at may mga violations!
17. Dudumi ang area sa kalaunan, ang basura ng mga dudunggo pati human wastes.. masasama pati krudo, langis at

gasoline sa paglilimas.

Merong daw penalty sabi ng PCSD sa interviews? Paano ma-penalize kung in principle in-approved nila?!

For DENR.. Meron pong PETITION opposing this proj. At ang ECC main requirement is SOCIAL ACCEPTABILITY -

<http://chnng.it/LgyKtLNxVT>

<https://www.change.org/SaveTandolDestructionCulion>

And also need to investigate the higher officer of this LGU being the subcontractor of Maryknoll Builders, the contractor of boat landings..

Thank you very much and God bless us all.

Respectfully,

Glen Lisboa

----- Original Message -----

Subject: DENR Request for Inspection

From: Glen Lisboa

To: ardts.mimaropa@gmail.com

CC: mimaroparegion@denr.gov.ph, cenrocoron@denr.gov.ph, penropalawan@denr.gov.ph

August 4, 2021

RED Maria Lordes G. Ferrer, CESO III

Thru:

Mr. Arnoldo A. Blaza, Jr.
OIC CENRO
DENR, CORON, PALAWAN

Sir,

As petitioner of the preservation and protection of fort San Pedro, we respectfully request the conduct of Inspection/Verification survey of the parcel of lot herein indicated by our map with lot No. 2202, Cad 1150-d. and the Municipal Ordinance No. 011-2008 issued on October 08, 2008 for your information including pertinent documents.

(see attached with the GPS coordinates; Latitude 11°50'28.52"N / Longitude 120° 0'53.18"E)

Anticipating kind favor from your end, please be rest assured of our highest regards.

Respectfully,

Glen N. Lisboa
Concern citizen of Culion
09182471651
09084251193