

Republic of the Philippines Department of Environment and Natural Resources

Visayas Avenue, Diliman, 1100 Quezon City Tel. Nos. (632) 8929-6626 to 29; (632) 8929-6633 to 35. Email: web@denr.gov.ph Website: www.denr.gov.ph

PRIVATE LAND TIMBER PERMIT PLTP No. RIVB-173-2021

JUN 15 2021

Pursuant to Presidential Decree No. 705, as amended, DAO No. 2000-21 "Revised Guidelines in the Issuance of Private Land Timber Permit/Special Private Land Timber Permit (PLTP/SPLTP)" and the DENR Administrative Order No. 2016-07 dated May 19, 2016 regarding the "DENR Manual of Authorities on Technical Matters", and to the existing Forestry laws, rules and regulations, is hereby granted to:

MS. DULCE S. CASTILLO

a citizen of the Philippines with permanent address located at <u>Brgy. Central, San Jose, Occidental Mindoro</u> to **CUT TWO (2)** typhoon felled Naturally Grown Rain trees (*Samanea saman*) species with a net volume of **1.91 CUBIC METERS**.

This **PERMIT** is subject to pertinent Forestry laws, rules and regulations and including the terms and conditions set forth in the DENR Administrative Order No. 2000-21 dated February 28, 2000, and the following conditions shall be observed to wit:

Only the inventoried two (2) typhoon felled naturally grown Rain trees (Samanea saman), within the private property covered by Transfer Certificate of Title (TCT) No. CARP2019000195, located in Brgy. Central, San Jose, Occidental Mindoro, with a net harvestable volume of 1.91 cubic meters, after deducting the 30% allowance for internal defects and harvesting inefficiency, shall be authorized to be cut, as shown in the Table below:

Species	DBH (cm)	MH (m)	Net Volume (cu.m)
Rain tree (Samanea saman)	90	2	0.59
Branch 1	70	2	0.36
Branch 2	70	1	0.18
Branch 3	60	1	0.13
Branch 4	40	1	0.06
Rain tree (Samanea saman)	80	2	0.47
Branch 1	60	1	0.13
Total			1.91

- 2. The logs and derivable wood materials to be recovered from the cut trees belong to the permittee, subject to payment of forest charges. The forest charges shall be based on the result of scaling after cutting operation. Provided, that in case of transport, a necessary transport permit shall be secured from the local DENR Office concerned;
- 3. Prior to tree cutting operation, placard or signboard with dimensions of 4 feet by 8 feet shall be installed in a conspicuous place to inform the public that the tree cutting operation is authorized by the DENR. The notice of particulars shall include the name of permittee, purpose of the activity and the number of trees to be cut;

- 4. The permittee shall replace each tree cut with 100 seedlings, or a total of 200 seedlings strictly of indigenous species in compliance with the DENR Memorandum Order No. 2012-02 dated November 5, 2012 re: "Uniform Replacement for Cut and Relocated Trees" to be turned-over to the local DENR office concerned in support to the National Greening Program (NGP) and climate change initiatives of the Government;
- 5. The tree cutting operation shall be at all times under the direct supervision of the Regional Executive Director of DENR MIMAROPA Region or the duly authorized representative/s. The Regional Executive Director shall be held administratively, civilly, and criminally liable should this Permit be used in any illegal purpose;
- 6. The *chainsaw* to be used in the cutting operation shall be registered pursuant to Republic Act (RA) No. 9175 or the "*Chainsaw Act of 2002*", and its Implementing Rules and Regulations under DENR Administrative Order No. 2003-24;
- 7. The permittee shall be required to undertake the necessary measures during and after cutting operation to mitigate the negative impacts of the said activity to the locality; and
- 8. Violation of any of the above conditions shall be sufficient ground for termination/cancellation of the permit, subject to due process without prejudice to the imposition of the appropriate penalties pursuant to existing regulations.

This PERMIT is effective on the date of issuance and expires within 50 DAYS upon receipt of the permittee or as soon as the volume authorized herein is exhausted, whichever comes first.

	JUN 1 4 2021	
Issued this		, at Quezon City, Philippines.

Approved:

ATTY. JUAN MIGUEL T. CUNA, CESO I
Undersecretary for Field Operations
and Environment