



September 3, 2021

MEMORANDUM

**FOR : The Regional Executive Director
MIMAROPA Region**

FROM : OIC – PENR OFFICER

**SUBJECT : INVESTIGATION, FINDINGS AND RECOMMENDATIONS
WITH REGARD TO THE COMPLAINT OF PEDRITO
NEPUMOCENO AGAINST UNNAMED RESPONDENTS
FROM DPWH RELATIVE TO THE CONSTRUCTION OF
THE BOAC INTERIOR TORRIJOS ROAD**

This refers to your memorandum dated August 24, 2021, received on August 31, 2021 via e-mail pertaining to the complaint of one Pedrito M. Nepomuceno against the DPWH construction of an access road otherwise known as “Boac Interior Torrijos Road”, from Mahinhin to Hinapulán, to Boi, Canat, Bayuti, and Tumagabok, all within the municipality of Boac, wherein allegedly, the said construction resulted to the cutting of trees without permit from the DENR, and that the project pushed through without the proper coordination with the concerned LGU. Included herein are the PENRO Marinduque’s investigation, findings, and recommendations with regard to the issue.

The issue being complained lacks pieces of evidence and supporting documents, however in order to clarify it, PENRO Marinduque conducted a verification focused on answering two issues: *whether or not there was indeed a permit granted to the DPWH for cutting of trees in relation to their project, and whether or not trees that were cut down or removed were accounted for.*

As per record, this office ascertained that indeed there were permits granted to the DPWH pertaining to the road project for CY **2019** (*Special Tree Cutting Permit No. DENR PENRO MARINDUQUE 2019 – 021, Special Tree Cutting Permit No. DENR PENRO MARINDUQUE 2019 – 023, Special Tree Cutting Permit No. DENR PENRO MARINDUQUE 2019 – 025, Special Tree Cutting Permit No. DENR PENRO MARINDUQUE 2019 – 030*), signed by the OIC – PENR Officer, as attached herein. Under the law and in the long line of cases decided by the Supreme Court, acts of individuals or persons are presumed to be in good faith. It can therefore be held that because permits were granted, the legality of the DPWH’s actions is presumed legal unless proven otherwise. Further, this office can testify that DPWH complied all the requirements before the Special Tree Cutting Permits were issued. Requirements include certification of no objection from LGUs, and ECC or CNC from Environment Management Bureau.

As for the trees, the name of species, estimated gross volume, net volume, and number were all indicated in the permit based on inventory conducted by PENRO and DPWH staff. These are supported by reports, and documents as attached herein; corresponding Tally Sheets and Stand and Stock Tables (SSTs) included.

Further, please be informed that the applications for cutting permits for this road project of DPWH were filed and forwarded to the Regional Office. However, because of the issuance of DAO 2018 – 16, delegating the authority to CENRO or Implementing PENROs to issue Special Tree Cutting Permit and Earthballing permit; all the applications pending at the Regional Office were returned to the PENRO for approval.

We, however would like to emphasize some matters particularly the concept of *locus standi*, and the *presumption of regularity*. In the case of IBP vs Zamora, "Locus Standi" has been defined as a personal and substantial interest in the case such that the party has sustained or will sustain direct injury as a result of the governmental act that is being challenged. The term "interest" means a material interest, an interest in issue affected by the decree, as distinguished from mere interest in the question involved, or a mere incidental interest.

In the case at hand, Mr. Nepomuceno appears to have no locus standi to keep on challenging or questioning the acts of the department. For instance, he does not stand to be aggrieved or benefitted by the project for no peril as to his life, liberty, or property was ever shown or manifested by him through evidence, neither did he present any proof to overcome the presumption of regularity in favor of the DENR or the DPWH. All he did is to allege something out of thin air without even asking the PENRO Marinduque and/or the DPWH first so as to confirm his claims, and to determine whether or not there had been a violations committed. He can always inquire to our office and request for documents, as it is accessible to the public, provided that he follows the necessary legal procedures.

We therefore recommend the following:

- To inform the Ombudsman that:
 - a) the matter at hand had already been addressed even before Mr. Nepumoceno sent his complaint, and for the latter to cease from sending letter – complaints if it is not well supported by evidence and if based only on hearsay and his own personal and limited knowledge.
 - b) as far as the DENR is concerned, necessary permits were issued to the DPWH, a project proponent, after due diligence. (copy of all permits and supporting documents are attached for reference)
 - c) the cutting operation is being monitored by technical personnel of DENR – PENRO though there are few instances that some contractors failed to coordinate with this office and thus we summoned them because that is a violation of one of the terms and conditions in the STCP.
- For every letters and claims to be highly scrutinized at the action center in order to avoid abuse of the complaint hotline privilege. Complaints having the same issues or pattern should be screened and the real intention of the complainant must be brought to light. As experienced by various government agencies, including DENR, these complaints without merit resulted to "wasted time" by the employees or officials that should have been better devoted to other important services to the public.

For information and further instruction.


IMELDA M. DIAZ



Capitol Compound, Bangbangalon, Boac, Marinduque

SPECIAL TREE CUTTING PERMIT
NO. DENR PENRO MARINDUQUE-2019-030

Pursuant to P.D. 705, as amended, and existing forestry laws, rules and regulations, a **Special Tree Cutting Permit** is hereby granted to:

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS-
MARINDUQUE DISTRICT ENGINEERING OFFICE (DPWH-MDEO)
REPRESENTED BY ENGR. JOSEFINA T. PANALIGAN

for the Project

NETWORK DEVELOPMENT- CONSTRUCTION OF MISSING LINKS / NEW ROADS,
DR. DAMIAN REYES MEMORIAL ROAD, MARINDUQUE

located at

Brgy. Canat, Boac, Marinduque
(KM. 28+857.57+KM. 29+607.57)

subject to the following conditions:

1. The trees requested for removal shall be incorporated in the design of the road to be rehabilitated/reconstructed, to the extent possible, to minimize loss of trees;
2. Maximum of seventeen (17) trees, as verified by PENRO Technical Personnel shall be authorized to be cut. Tabulated below are the trees authorized to be cut:

Table 1. Trees authorized to be cut:

SPECIES	NO. OF TREES INVENTORIED	GROSS VOLUME (cu.m.)	NET VOLUME (cu.m.)
Acacia (Raintree)	6	1.22	0.85
Dita	1	0.36	0.25
Acacia (Auri)	1	0.04	0.03
Luktob	1	0.17	0.12
Janagdong	1	0.17	0.12
Misc	1	0.02	0.01
Dapdap	1	0.54	0.38
Tibig	1	0.16	0.11
Antipolo	3	0.65	0.46
Lauan	1	0.32	0.22
TOTAL	17	3.65	2.56

RECEIVED BY

REXNER O. LEDESMA
C/O MONOLITHIC CONST'N.

page 1 of 3

3-10-2020 8:50 a.m.



Republic of the Philippines
DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
PENRO MARINDUQUE
Capitol Compound, Bangbangalon, Boac, Marinduque

SPECIAL TREE CUTTING PERMIT
NO. DENR PENRO MARINDUQUE-2019-030

Pursuant to P.D. 705, as amended, and existing forestry laws, rules and regulations, a **Special Tree Cutting Permit** is hereby granted to:

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS-
MARINDUQUE DISTRICT ENGINEERING OFFICE (DPWH-MDEO)
REPRESENTED BY ENGR. JOSEFINA T. PANALIGAN

for the Project

NETWORK DEVELOPMENT- CONSTRUCTION OF MISSING LINKS / NEW ROADS,
DR. DAMIAN REYES MEMORIAL ROAD, MARINDUQUE

located at

Brgy. Canat, Boac, Marinduque
(KM. 28+857.57+KM. 29+607.57)

(continuation...)

3. The trees cut and parts thereof shall be turned-over to PENRO Marinduque for proper disposition based on existing guidelines;
4. Issues that will arise from the tree cutting should be addressed directly by the permittee;
5. Prior to tree cutting operations, a placard or signboard measuring 4' x 8' shall be installed within the cutting area informing the public that the tree cutting operation is authorized by the DENR and indicating the name of the permittee, the purpose of tree cutting and the number of trees to be cut;
6. Pursuant to Memorandum dated 20 October 2011 of the Executive Secretary re: "Proposed Additional Exemptions under "Similar Activities" of Section 2, Item 2.2 of Executive Order No. 23 (S. 2011)", the permittee is required to replace each tree to be cut with at least one hundred (100) seedlings, all preferably indigenous species with at least one (1) meter in height to be planted by the permittee in close coordination with PENRO Marinduque in support of National Greening Program (NGP) and Climate Change initiatives of the Government;
7. The tree cutting operations shall, at all times, be under the direct supervision of the PENRO Marinduque, or his duly authorized representative(s);



SPECIAL TREE CUTTING PERMIT
NO. DENR PENRO MARINDUQUE-2019-010

Pursuant to P.D. 705, as amended, and existing forestry laws, rules and regulations, a **Special Tree Cutting Permit** is hereby granted to:

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS-
MARINDUQUE DISTRICT ENGINEERING OFFICE (DPWH-MDEO)
REPRESENTED BY ENGR. JOSEFINA T. PANALIGAN

for the Project

NETWORK DEVELOPMENT- CONSTRUCTION OF MISSING LINKS / NEW ROADS,
DR. DAMIAN REYES MEMORIAL ROAD, MARINDUQUE

located at

Brgy. Canat, Boac, Marinduque
(KM. 28+857.57+KM. 29+607.57)

(continuation...)

8. The permittee shall be required to undertake measures during and after tree cutting operations to mitigate the possible impacts of the said activity to the locality and the environment; and
9. Violation of any of the terms and conditions of the permit to be issued shall be sufficient ground for the termination/cancellation of this permit, subject to due process without prejudice to the imposition of appropriate penalties pursuant to existing regulations, and one strike policy to concerned DENR official(s) and/or personnel.

This permit is effective **Fifty (50) days** upon receipt hereof or as soon as the authorized number of trees had already been cut, whichever comes first.

Issued this 17 December, 2019, at DENR PENRO Marinduque, Capitol Compound, Brgy. Bangbangalon, Boac, Marinduque.

By the Authority of the Secretary:

IMELDA M. DIAZ
OIC, PENR Officer



Department of Environment and Natural Resources
ENVIRONMENTAL MANAGEMENT BUREAU

EMB, 4th Building, Room 300, Manila
Tel. No. (02) 406-5941, Fax No. (02) 406-5941
mimaropa@emb.gov.ph and emb_mimaropa@yahoo.com
Visit us at <http://www.mimaropa.emb.gov.ph/>

IN ACCORDANCE WITH THE REVISED PROCEDURAL MANUAL FOR
DENR ADMINISTRATIVE ORDER NO. 30, SERIES OF 2003 OF PRESIDENTIAL
DECREE NO. 1586, THIS

CERTIFICATE OF NON-COVERAGE

CNC-OL-R4B-2019-08-00473

Issued to

Department of Public Works and Highways- Marinduque District Engineering Office

ON

August 17, 2019

For its


**Network Development - Construction of Missing Links/New Roads, Dr. Damian Reyes
Memorial Road, Marinduque
canat Boac, Marinduque, R4B**

Classified as

(NATIONAL ROAD: 0.7500 Kilo meter Length with critical slope)

THE ISSUANCE OF THIS CERTIFICATE SHALL NOT EXEMPT THE GRANTEE FROM COMPLIANCE WITH APPLICABLE ENVIRONMENTAL LAWS, RULES AND REGULATIONS INCLUDING THE PERMITTING REQUIREMENTS OF OTHER GOVERNMENT AGENCIES NEITHER CREATE ANY RIGHT NOR BE USED AS AN AUTHORIZATION TO IMPLEMENT THE PROJECT, YOU MAY PROCEED WITH THE IMPLEMENTATION ONLY AFTER SECURING ALL THE NECESSARY AND RELEVANT PERMITS FROM OTHER PERTINENT GOVERNMENT AGENCIES.

MOREOVER, ANY EXPANSION AND/OR MODIFICATION OTHER THAN SPECIFIED ABOVE SHALL BE CONSIDERED AS A VIOLATION OF P.D. 1586 (EIA SYSTEM) AND SHALL BE SUBJECT TO IMPOSITION OF FINES/PENALTIES AMOUNTING TO PHP50,000.00.


Atty. Michael Drake P. Matias
Regional Director



Bank Receipt No.: 28800
Amount Paid: Php 1,126.00
Date Paid: 7/17/2019
Application Ref No.: 48143955-ef1c-4062-9761-ba87a03e3ba0

Republic of the Philippines
SANGGUNIANG BARANGAY
Canat, Boac, Marinduque
4900


OFFICE OF THE PUNONG BARANGAY


CERTIFICATION

This is certify that the undersigned was informed about the proposed **Network Development - Construction of Missing Links/New Roads , Dr. Damian Reyes Memorial Road, Marinduque** included under Department of Public Works Highways (DPWH) Infrastructure Program and strongly recommends its implementation.

Further , I certify that I have consulted my respective constituents and that they interpose no objection/complaint whatsoever for the project.

Done this 7th day of June 2019, at Brgy. Canat , Boac , Marinduque.


ALEX N. MONTIANO
Barangay Chairman

CERTIFIED PHOTO COPY

MA. LYNN S. VALDEPEÑA
Administrative Officer (P.O. II)

Capitol Compound, Bangbangalon, Boac, Marinduque
(042) 332-1490/ 332-1913

TALLY SHEET

Name of Proponent:
Location of the Project:

DPWH
Brgy. Canat, Boac, Marinduque

Tree No.	Species	D (cm)	MH M	TH (cm)	Volume (m3)	*Tree Location (GPS reading)		Tree Category Planted/Natural	Stem Quality
						Northing	Easting		
1	Acacia	42	4		0.36	1480078	51 P 384603	Planted	1
2	Dita	34	6		0.36	1480065	51 P 384580	Natural	1
3	Acaci Auri	17	3		0.04	1480056	51 P 384579	Natural	1
4	Luktob	24	6		0.17	1480044	51 P 384562	Natural	1
5	Acacia	35	4		0.25	1480040	51 P 384550	Planted	1
6	Acacia	35	2		0.12	1480037	51 P 384541	Planted	1
7	Acacia	35	3		0.19	1480030	51 P 384548	Planted	1
8	Acacia	30	3		0.14	1480015	51 P 384541	Planted	1
9	Acacia	40	2		0.16	1480015	51 P 384541	Planted	1
10	Janagdong	29	4		0.17	1479978	51 P 384570	Natural	1
11	Misc.	23	1		0.02	1479977	51 P 384587	Natural	1
12	Dapdap	34	9		0.54	1479948	51 P 384585	Natural	1
13	Tibig	40	2		0.16	1479948	51 P 384585	Natural	1
14	Antipolo	26	6		0.21	1479948	51 P 384572	Natural	1
15	Lauan	30	7		0.32	1479816	51 P 384221	Natural	1
16	Antipolo	30	6		0.28	1479815	51 P 384221	Natural	1
17	Antipolo	23	6		0.16	1479815	51 P 384221	Natural	1

3.65

*Location (geographical coordinates) of the effected trees for government project (eg. DPWH, NGCP, Energy, Etc), Mining, P/SPLTP, etc, is requested to be recorded and serve as basis in charting the effected tree/saplings.

Inventoried by:

RANDY N. ESTRELLA
Forest Ranger

LEOPOLDO G. LUCERNAS, JR.
Forest Ranger

Noted by:

PAUL BRIAN D. MIJARES
Forester I

STEM QUALITY:

- Code 1 - Straight, cylindrical tree without visible defects or damage
- Code 2 - Tree with little defects or damage



Republic of the Philippines
DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
PENRO MARINDUQUE
Capitol Compound, Bangbangalon, Boac, Marinduque

SPECIAL TREE CUTTING PERMIT
NO. DENR PENRO MARINDUQUE-2019-021

Pursuant to P.D. 705, as amended, and existing forestry laws, rules and regulations, a **Special Tree Cutting Permit** is hereby granted to:

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS-
MARINDUQUE DISTRICT ENGINEERING OFFICE (DPWH-MDEO)
REPRESENTED BY ENGR. JOSEFINA T. PANALIGAN

for the Project

ROAD UPGRADING (UNPAVED TO PAVED) OF DAMIAN REYES ROAD
(BOAC SIDE)

located at

Brgy. Hinapulan, Boac, Marinduque
K0022 +258.00 (STA.22 + 258)-K0022+1,092 (STA.23 +092)

subject to the following conditions:

1. The trees requested for removal shall be incorporated in the design of the road to be rehabilitated/reconstructed, to the extent possible, to minimize loss of trees;
2. Maximum of three (3) trees, as verified by PENRO Technical Personnel shall be authorized to be cut. Tabulated below are the trees authorized to be cut:

Table 1. Trees authorized to be cut:

SPECIES	NO. OF TREES INVENTORIED	GROSS VOLUME (cu.m.)	NET VOLUME (cu.m.)
White lauan	3	3.64	2.55
Total	3	3.65	2.55

3. The trees cut and parts thereof shall be turned-over to PENRO Marinduque for proper disposition in accordance with existing guidelines;
4. Issues that will arise from the tree cutting should be addressed directly by the permittee;
5. Prior to tree cutting operations, a placard or signboard measuring 4' x 8' shall be installed within the cutting area informing the public that the tree cutting operation is authorized by the DENR, indicating the name of the permittee, the purpose of tree cutting and the number of trees to be cut;
6. Pursuant to Memorandum dated 20 October 2011 of the Executive Secretary re: "Proposed and Recommended Exemptions under "Similar Activities" of Section 2, Item 2.2 of Executive Order No. 23 (S. 2011), the permittee is required to replace each tree to be cut with at least one hundred (100) seedlings, all of which shall be indigenous species with at least one (1) meter in height to be planted by the permittee in close coordination with PENRO Marinduque in support of National Greening Program (NGP) and Climate Change Initiatives of the Government;



Republic of the Philippines
DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
PENRO MARINDUQUE
Capitol Compound, Bangbangalon, Boac, Marinduque

SPECIAL TREE CUTTING PERMIT
NO. DENR PENRO MARINDUQUE-2019-021

Pursuant to P.D. 705, as amended, and existing forestry laws, rules and regulations, a **Special Tree Cutting Permit** is hereby granted to:

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS-
MARINDUQUE DISTRICT ENGINEERING OFFICE (DPWH-MDEO)
REPRESENTED BY ENGR. JOSEFINA T. PANALIGAN

for the Project

ROAD UPGRADING (UNPAVED TO PAVED) OF DAMIAN REYES ROAD
(BOAC SIDE)

located at

Brgy. Hinapulan, Boac, Marinduque
K0022 +258.00 (STA.22 + 258)-K0022+1,092 (STA.23 +092)

(continuation...)

7. The tree cutting operations shall, at all times, be under the direct supervision of the PENRO Marinduque or his duly authorized representative(s);
8. The permittee shall be required to undertake measures during and after tree cutting operations to mitigate the possible impacts of the said activity to the locality and the environment; and
9. Violation of any of the terms and conditions hereof is punishable under Section 68 of PD 705 as amended by E.O. No. 277, Series of 1987; and
10. The non-compliance with any of the above terms and conditions or violations of forestry laws and regulations shall render this permit null and void without prejudice to the imposition of penalties in accordance with existing laws and regulations, and one strike policy to concerned DENR official(s) and/or personnel.


This permit is effective **Fifty (50) days** upon receipt hereof or as soon as the authorized number of trees had already been cut, whichever comes first.

Issued this November 19, 2019, at DENR PENRO Marinduque, Capitol Compound, Brgy Bangbangalon, Boac, Marinduque.

By the Authority of the Secretary:


IMELDA M. DIAZ
OIC-PENRO Officer


Republika ng Pilipinas
Lalawigan ng Mainduque
Bayan ng Boac
Barangay Hinapulan



Si mga Kinauukulan,

Ang sanggunian at mamamayan ng **Brgy. Hinapulan** ay pumapayag na mapaayos ang kalsada sa ilalim ng proyekto ng **WERR Corporation International sa DPWH**. Ang nasabing proyekto ay may **I.D. no. 16E00002** at may paksang **"ROAD UPGRADING (Unpaved to Paved) OF DR. DAMIAN REYES ROAD (BOAC SIDE)"** nasasakop nito ay mula sa **KO 022+258** hanggang **KO 022+1092**. Kami ay hindi tumututol sa anumang masasagasaang punong kahoy at iba pang halaman. Subalit ang mga halamang tulad ng niyog, saging at iba pang halaman na ikinabubuhay ng mga taong nagtanim, bahala ang kontraktor na makipag usap sa may ari upang mabigyan ng kaukulang bayad.

Bilang patunay nilagdaan ko ang kasulatang ito ngayong ika-23 ng Hulyo 2018 sa tanggapan ng aming barangay upang magamit ng **WERR Corporation International** sa anumang kailangan nilang legal.



Punong Barangay ng Hinapulan



Republic of Philippines

Department of Environment and Natural Resources
Bureau of Environment and Natural Resources

Boac, Marinduque



November 7, 2019

MEMORANDUM

FOR : The OIC, Provincial Environment and Natural Resources Officer

THRU : The Chief, Technical Services Division

ATTN : The Chief, Monitoring Section (MES)
The Chief, Regulation and Permitting Section (RPS)

FROM : Forester II
Forester I
Forest Ranger

SUBJECT : **RE-INSPECTION OF THE ROAD UPGRADING (UNPAVED TO PAVED) OF DR. DAMIAN REYES ROAD (BOAC SIDE) STA. 022+258 -STA. 22+1092 LOCATED AT BRGY. HINAPULAN, BOAC, MARINDUQUE**

In compliance with the verbal instruction of Chief, Regulation and Permitting Section (RPS) and the submission of the Project Road Plan of WERR Corporation International, the contractor of Department of Public Works Department of Public Works and Highways-Marinduque for the Road Upgrading (Unpaved to Paved) of Dr. Damian Reyes Road (Boac Side) Sta. 022+258- 22+1092 located at Brgy. Hinapulan, Boac, Marinduque, the undersigned conducted area inspection.

The following facts/findings were gathered, to wit;

Table 1. Categorical Recommendation

Tree No.	Species	Volume (cu m)	Remarks	Recommendation
1	Loktob (<i>Duabanga moluccana</i>)	3.08	Approximately 80.0 cm diameter. Two (2) cross drainage were constructed by the DPWH contractor.	Tree is mature with an approx. 80.0 cm diameter. In order to preserve the tree, it is recommended not to cut. However, tree surgery is recommended at the buttress.

2	White lauan (<i>Shorea contorta</i>)	1.82	Pose danger to commuters	To cut the tree and bio-engineering of the area due to steep slope is recommended
3	White lauan (<i>Shorea contorta</i>)	1.26	Pose danger to commuters	To cut the tree and bio-engineering of the area due to steep slope is recommended.
4	White lauan (<i>Shorea contorta</i>)	0.76	In healthy condition.	Tree not to cut
5	White lauan (<i>Shorea contorta</i>)	0.56	Felled down by typhoon.	To cut the tree, turn over to DENR and bio- engineering of the area due to steep slope is recommended.
6	Dapdap (<i>Erythrina variegata</i>)	0.11	In healthy condition	Tree not to cut
		7.60		

For your consideration and approval.


NANNETTE M. JOVEN


MARY GRACE P. MANQUIZ


MICHAEL JOSEPH A. MARANAN



TALLY SHEET

Name of Proponent: WERR Corporation International Represented by Engr. Nicasio Tayson
Location of the Project: Brgy. Hinapulan, Boac, Marinduque


Tree No.	Species	D (cm)	MH M	TH (cm)	Volume (m3)	*Tree Location (GPS reading)		Tree Category Planted/Natural	Stem Quality
						Northing	Easting		
1	Luktob	65	14		3.08	1483995	384940	Natural	1
2	Lauan	50	14		1.82	1483969	384931	Natural	2
3	Lauan	45	12		1.26	1483966	384927	Natural	1
4	Lauan	35	12		0.76	1483965	384926	Natural	1
5	Lauan	30	12		0.56	1483968	384919	Natural	1
6	Dapdap	15	9		0.11	1483969	384918	Natural	1

7.60

*Location (geographical coordinates) of the effected trees for government project (eg. DPWH, NGCP, Energy. Etc), Mining, P/SPLTP, etc, is requested to be recorded and serve as basis in charting the effected tree/saplings.

Inventoried by:


MICHAEL JOSEPH A. MARANAN
Forest Ranger


AMADO J. ABIANG
Forester II

STEM QUALITY:

- Code 1 - Straight, cylindrical tree without visible defects or damage
Code 2 - Tree with little defects or damage
Code 3 - Tree with several defects or damage.



Republic of the Philippines
DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
PENRO MARINDUQUE
Capitol Compound, Bangbangalon, Boac, Marinduque

SPECIAL TREE CUTTING PERMIT
NO. DENR PENRO MARINDUQUE-2019-023

Pursuant to P.D. 705, as amended, and existing forestry laws, rules and regulations, a **Special Tree Cutting Permit** is hereby granted to:

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS-
MARINDUQUE DISTRICT ENGINEERING OFFICE (DPWH-MDEO)
REPRESENTED BY ENGR. JOSEFINA T. PANALIGAN

for the Project

REHAB./ RECONST./ UPGRADING OF DAMAGED PAVED ROADS OF DR. DAMIAN
ROAD (BOAC SIDE)

located at

Brgy. Hinapulan, Boac, Marinduque
(K0021 +912.00-K0022+258.00)


subject to the following conditions:

1. The trees requested for removal shall be incorporated in the design of the road to be rehabilitated/reconstructed, to the extent possible, to minimize loss of trees;
2. Maximum of one (1) tree, as verified by PENRO Technical Personnel shall be authorized to be cut. Below are the trees authorized to be cut:

Table 1. Trees authorized to be cut:

SPECIES	NO. OF TREES INVENTORIED	GROSS VOLUME (cu.m.)	NET VOLUME (cu.m.)
Luktob	1	0.14	0.10
Total	1	0.14	0.10

3. The trees cut and parts thereof shall be turned-over to PENRO Marinduque for proper disposition in accordance with existing guidelines;
4. Issues that will arise from the tree cutting should be addressed directly by the permittee;
5. Prior to tree cutting operations, a placard or signboard measuring 4' x 8' shall be installed in the cutting area informing the public that the tree cutting operation is authorized by the DENR, indicating the name of the permittee, the purpose of tree cutting and the number of trees to be cut;
6. Pursuant to Memorandum dated 20 October 2011 of the Executive Secretary re: "Proposed Rules and Regulations on Exemptions under "Similar Activities" of Section 2, Item 2.2 of Executive Order No. 23 (S. 2011)", the permittee is required to replace each tree to be cut with at least one hundred (100) seedlings, all of which shall be indigenous species with at least one (1) meter in height to be planted by the permittee in close coordination with PENRO Marinduque in support of National Greening Program (NGP) and Climate Change Initiatives of the Government;



Republic of the Philippines
DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
PENRO MARINDUQUE
Capitol Compound, Bangbangalon, Boac, Marinduque

SPECIAL TREE CUTTING PERMIT
NO. DENR PENRO MARINDUQUE-2019-023


Pursuant to P.D. 705, as amended, and existing forestry laws, rules and regulations, a **Special Tree Cutting Permit** is hereby granted to:

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS-
MARINDUQUE DISTRICT ENGINEERING OFFICE (DPWH-MDEO)
REPRESENTED BY ENGR. JOSEFINA T. PANALIGAN

for the Project

REHAB./ RECONST./ UPGRADING OF DAMAGED PAVED ROADS OF DR. DAMIAN BANGALON
ROAD (BOAC SIDE)

located at


Brgy. Hinapulan, Boac, Marinduque
(K0021 +912.00-K0022+258.00)


(continuation...)

7. The tree cutting operations shall, at all times, be under the direct supervision of the PENRO Marinduque or his duly authorized representative(s);
8. The permittee shall be required to undertake measures during and after tree cutting operations to minimize the possible impacts of the said activity to the locality and the environment; and
9. Violation of any of the terms and conditions hereof is punishable under Section 68 of PD 705 as amended by E.O. No. 277, Series of 1987; and
10. The non-compliance with any of the above terms and conditions or violations of forestry law regulations shall render this permit null and void without prejudice to the imposition of penalty in accordance with existing laws and regulations, and one strike policy to concerned DENR official(s) and personnel.

This permit is effective **Fifty (50) days** upon receipt hereof or as soon as the authorized number of trees had already been cut, whichever comes first.

Issued this March 12, 2019, at DENR PENRO Marinduque, Capitol Compound, Bangbangalon, Boac, Marinduque.

By the Authority of the Secretary:


IMELDA M. DIAZ
OIC-PENRO Officer



Republic of the Philippines
Department of Environment and Natural Resources
ENVIRONMENTAL MANAGEMENT BUREAU

1515 L and S Building, Roxas Boulevard, Manila
Tel. No. (02) 400-5960 Fax No. (02) 400-5960
mimaropa@emb.gov.ph and emb_mimaropa@yahoo.com
Visit us at <http://www.mimaropa.emb.gov.ph/>

IN ACCORDANCE WITH THE REVISED PROCEDURAL MANUAL FOR
DENR ADMINISTRATIVE ORDER NO. 30, SERIES OF 2003 OF PRESIDENTIAL
DECREE NO. 1586, THIS

CERTIFICATE OF NON-COVERAGE

CNC-OL-R4B-2018-10-00591

Issued to

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS- MARINDUQUE DISTRICT
ENGINEERING OFFICE

ON

October 2, 2018

For its

**REHAB./ RECONST./ UPGRADING OF DAMAGED PAVED ROADS OF DR. DAMIAN
REYES ROAD (BOAC SIDE) K0021+912 - K0022+258.00
HINAPULAN Boac, Marinduque, R4B**

Classified as

**(ROADS, WIDENING, REHABILITATION AND/OR IMPROVEMENT WITH NO
CRITICAL SLOPE - WITH $\leq 50\%$ INCREASE IN CAPACITY (OR IN TERMS OF
LENGTH/WIDTH): 0.3570 Kilo meter Increase in length)**

THE ISSUANCE OF THIS CERTIFICATE SHALL NOT EXEMPT THE GRANTEE
FROM COMPLIANCE WITH APPLICABLE ENVIRONMENTAL LAWS, RULES AND
REGULATIONS INCLUDING THE PERMITTING REQUIREMENTS OF OTHER
GOVERNMENT AGENCIES NEITHER CREATE ANY RIGHT NOR BE USED AS AN
AUTHORIZATION TO IMPLEMENT THE PROJECT, YOU MAY PROCEED WITH THE
IMPLEMENTATION ONLY AFTER SECURING ALL THE NECESSARY AND
RELEVANT PERMITS FROM OTHER PERTINENT GOVERNMENT AGENCIES.

MOREOVER, ANY EXPANSION AND/OR MODIFICATION OTHER THAN SPECIFIED
ABOVE SHALL BE CONSIDERED AS A VIOLATION OF P.D. 1586 (EIA SYSTEM) AND
SHALL BE SUBJECT TO IMPOSITION OF FINES/PENALTIES AMOUNTING TO
PHP50,000.00.


Engr. *Maria Socorro A. Abu*

CERTIFIED PHOTOCOPIED
MA. LYN S. VALDEPEÑA
Administrative Officer III (F.I.)





Republic of the Philippines
Province of Marinduque
Municipality of Boac




CERTIFICATION

TO WHOM IT MAY CONCERN:


THIS CERTIFIES that the undersigned was informed about the Construction of various projects attached on the request under the Department of Public Works and Highways (DPWH) Infrastructure Program and strongly recommends its implementation.

This further certifies that the Local Government Unit of Boac has no objections whatsoever relative to the above-mentioned project for as compliance to all regulatory requirements at both local and national levels are strictly adhered to.

Issued this 4th day of March 2020 at Boac, Marinduque.


ARMY DC. CARRION
Municipal Mayor

CERTIFIED PHOTOCOPY


RODORITA M. SENA
Admin/Officer IV (HRMO II)



Republic of the Philippines
Department of Environment and Natural Resources
Provincial Environment and Natural Resources Office
Boac, Marinduque

TALLY SHEET

Name of Proponent: DPWH
Location of the Project: Brgy. Bantay, Boac, Marinduque

Date of Inventory: July 03, 2018

Tree No.	Species	D (cm)	MH M	TH (cm)	Volume (m3)	*Tree Location (GPS reading)		Tree Category Planted/Natural	Stem Quality
						Northing	Easting		
1	Luktob	15	12		0.140	51 P 384387	1484130	Natural	1


0.14


*Location (geographical coordinates) of the effected trees for government project (eg. DPWH, NGCP, Energy. Etc), Mining, P/SPLTP, etc, is requested to be recorded and serve as basis in charting the effected tree/saplings.

Prepared / Inventoried by:


RANDY N. ESTRELLA
Forest Ranger

Noted by:


LEOPOLDO G. LUCERNAS, Jr.
Forest Ranger


MARY GRACE P. MANQUIZ
Forester I

STEM QUALITY:

- Code 1 - Straight, cylindrical tree without visible defects or damage
- Code 2 - Tree with little defects or damage
- Code 3 - Tree with several defects or damage.



Republic of the Philippines

Department of Environment and Natural Resources
Bureau of Forest Management

STAND AND STOCK TABLE OF TREES

Name of Proponent:

DPWH


Location of Project:

Brgy. Bantay, Boac, Marinduque

July 03, 2018

SPECIES	D I A M E T E R								C L A S S						TOTAL	
	11 to 15		16 to 20		21 to 25		26 to 30		31 to 35		36-40		41-UP		T	V
	T	V	T	V	T	V	T	V	T	V	T	V	T	V		
Luktob	1	0.14													1	0.14
TOTAL															1	0.14

Prepared / Inventoried by:


LEOPOLDO G. LUCERNAS, Jr.
Forest Ranger

Noted by:


RANDY N. ESTRELLA
Forest Ranger


MARY GRACE P. MANQUIZ
Forester I

Capitol Compound, Bangbangalon, Boac, Marinduque
(042) 332-1490/ 332-1913



Republic of the Philippines
DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
PENRO MARINDUQUE
Capitol Compound, Bangbangalon, Boac, Marinduque

SPECIAL TREE CUTTING PERMIT
NO. DENR PENRO MARINDUQUE-2019-025

Pursuant to P.D. 705, as amended, and existing forestry laws, rules and regulations, a **Special Tree Cutting Permit** is hereby granted to:

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS-
MARINDUQUE DISTRICT ENGINEERING OFFICE (DPWH-MDEO)
REPRESENTED BY ENGR. JOSEFINA T. PANALIGAN

for the Project

OPENING OF ROAD, BRGY. TUMAGABOK STA 38 + 150.00 - STA 39 + 750.00, TORRIJOS
MARINDUQUE

located at

Brgy. Tumagabok, Boac, Marinduque
(STA 38 + 150.00 - STA 39 + 750.00)

subject to the following conditions:

1. The trees requested for removal shall be incorporated in the design of the road to be rehabilitated/reconstructed, to the extent possible, to minimize loss of trees;
2. Maximum of fifty six (56) trees, as verified by PENRO Technical Personnel shall be authorized to be cut.
Tabulated below are the trees authorized to be cut:

Table 1. Trees authorized to be cut:

SPECIES	NO. OF TREES INVENTORIED	GROSS VOLUME (cu.m.)	NET VOLUME (cu.m.)
Gmelina	1	0.10	0.07
Bulak	1	0.33	0.23
Bakan	3	0.98	0.69
Bonliw	9	1.75	1.23
Antipolo	2	0.46	0.32
Hanagdong	7	0.55	0.39
Guyong-Guyong	1	0.04	0.03
Haguimit	1	0.14	0.10
Tangisang-Bayawak	3	0.67	0.47



Republic of the Philippines
DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
Capitol Compound, Bangbangalon, Boac, Marinduque

SPECIAL TREE CUTTING PERMIT
NO. DENR PENRO MARINDUQUE-2019-025

Pursuant to P.D. 705, as amended, and existing forestry laws, rules and regulations, a **Special Tree Cutting Permit** is hereby granted to:

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS-
MARINDUQUE DISTRICT ENGINEERING OFFICE (DPWH-MDEO)
REPRESENTED BY ENGR. JOSEFINA T. PANALIGAN

for the Project

OPENING OF ROAD, BRGY. TUMAGABOK STA 38 + 150.00 - STA 39 + 750.00, TORRIJOS
MARINDUQUE

located at

Brgy. Tumagabok, Boac, Marinduque
(STA 38 + 150.00 - STA 39 + 750.00)

(continuation...)

SPECIES	NO. OF TREES INVENTORIED	GROSS VOLUME (cu.m.)	NET VOLUME (cu.m.)
Dapdap	4	1.09	0.76
Mango	8	1.22	0.85
Misc.	4	1.04	0.73
Dita	1	0.04	0.03
Batino	8	0.99	0.69
Kalantas	1	0.08	0.06
Wisak	2	0.10	0.07
Total	56	9.58	6.71

- The trees cut and parts thereof shall be turned-over to PENRO Marinduque for proper disposition based on existing guidelines;
- Issues that will arise from the tree cutting should be addressed directly by the permittee;
- Prior to tree cutting operations, a placard or signboard measuring 4' x 8' shall be installed within the cutting area informing the public that the tree cutting operation is authorized by the DENR and indicating the name of the permittee, the purpose of tree cutting and the number of trees to be cut;

[Handwritten signature]



Republic of the Philippines
DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES

Capitol Compound, Bangbangalon, Boac, Marinduque

SPECIAL TREE CUTTING PERMIT
NO. DENR PENRO MARINDUQUE-2019-025

Pursuant to P.D. 705, as amended, and existing forestry laws, rules and regulations, a **Special Tree Cutting Permit** is hereby granted to:

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS-
MARINDUQUE DISTRICT ENGINEERING OFFICE (DPWH-MDEO)
REPRESENTED BY ENGR. JOSEFINA T. PANALIGAN

for the Project


OPENING OF ROAD, BRGY. TUMAGABOK STA 38 + 150.00 - STA 39 + 750.00, TORRIJOS
MARINDUQUE

located at

Brgy. Tumagabok, Boac, Marinduque
(STA 38 + 150.00 - STA 39 + 750.00)

(continuation...)

6. Pursuant to Memorandum dated 20 October 2011 of the Executive Secretary re: "Proposed Additional Exemptions under "Similar Activities" of Section 2, Item 2.2 of Executive Order No. 23 (S. 2011)", the permittee is required to replace each tree to be cut with at least one hundred (100) seedlings, all preferably indigenous species with at least one (1) meter in height to be planted by the permittee in close coordination with PENRO Marinduque in support of National Greening Program (NGP) and Climate Change initiatives of the Government;
7. The tree cutting operations shall, at all times, be under the direct supervision of the PENRO Marinduque, or his duly authorized representative(s);
8. The permittee shall be required to undertake measures during and after tree cutting operations to mitigate the possible impacts of the said activity to the locality and the environment; and
9. Violation of any of the terms and conditions hereof is punishable under Section 68 of PD 705 as amended by E.O. No. 277, Series of 1987; and



Republic of the Philippines
DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES

Capitol Compound, Bangbangalon, Boac, Marinduque

SPECIAL TREE CUTTING PERMIT
NO. DENR PENRO MARINDUQUE-2019-025

Pursuant to P.D. 705, as amended, and existing forestry laws, rules and regulations, a **Special Tree Cutting Permit** is hereby granted to:

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS-
MARINDUQUE DISTRICT ENGINEERING OFFICE (DPWH-MDEO)
REPRESENTED BY ENGR. JOSEFINA T. PANALIGAN

for the Project

OPENING OF ROAD, BRGY. TUMAGABOK STA 38 + 150.00 - STA 39 + 750.00, TORRIJOS
MARINDUQUE

located at

Brgy. Tumagabok, Boac, Marinduque
(STA 38 + 150.00 - STA 39 + 750.00)

(continuation...)

10. The non-compliance with any of the above terms and conditions or violations of forestry laws and regulations shall render this permit null and void without prejudice to the imposition of penalties in accordance with existing laws and regulations, and one strike policy to concerned DENR official(s) and/or personnel.

This permit is effective **Fifty (50) days** upon receipt hereof or as soon as the authorized number of trees had already been cut, whichever comes first.

Issued this **MAR 06 2020** 2019, at DENR PENRO Marinduque, Capitol Compound, Brgy. Bangbangalon, Boac, Marinduque.

By the Authority of the Secretary:

IMELDA M. DIAZ
OIC-PENR Officer

IN ACCORDANCE WITH THE REVISED PROCEDURAL MANUAL FOR
DENR ADMINISTRATIVE ORDER NO. 30, SERIES OF 2003 OF PRESIDENTIAL
DECREE NO. 1586, THIS

CERTIFICATE OF NON-COVERAGE

CNC-OL-R4B-2018-12-00687

Issued to

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS - MARINDUQUE DISTRICT
ENGINEERING OFFICE

ON

December 7, 2018

For its

**OPENING OF ROAD, BRGY. TUMAGABOK STA 38 +150.00 - STA. 39 +750.00,
TORRIJOS, MARINDUQUE
TUMAGABOK Boac, Marinduque, R4B**

Classified as

(NATIONAL ROAD: 1.6000 Kilo meter Length with no critical slope)

THE ISSUANCE OF THIS CERTIFICATE SHALL NOT EXEMPT THE GRANTEE FROM COMPLIANCE WITH APPLICABLE ENVIRONMENTAL LAWS, RULES AND REGULATIONS INCLUDING THE PERMITTING REQUIREMENTS OF OTHER GOVERNMENT AGENCIES NEITHER CREATE ANY RIGHT NOR BE USED AS AN AUTHORIZATION TO IMPLEMENT THE PROJECT, YOU MAY PROCEED WITH THE IMPLEMENTATION ONLY AFTER SECURING ALL THE NECESSARY AND RELEVANT PERMITS FROM OTHER PERTINENT GOVERNMENT AGENCIES.

MOREOVER, ANY EXPANSION AND/OR MODIFICATION OTHER THAN SPECIFIED ABOVE SHALL BE CONSIDERED AS A VIOLATION OF P.D. 1586 (EIA SYSTEM) AND SHALL BE SUBJECT TO IMPOSITION OF FINES/PENALTIES AMOUNTING TO PHP50,000.00.



Atty. Michael Drake P. Matias
Regional Director



Bank Receipt No.: 12320
Amount Paid: Php 1,126.00
Date Paid: 10/26/2018
Application Ref No.: 5110536c-e563-4668-99e5-a519c27dabd8



Republic of the Philippines
Province of Marinduque
Municipality of Boac



OFFICE OF THE MUNICIPAL MAYOR


CERTIFICATION

TO WHOM IT MAY CONCERN:

This is to certify that the undersigned, in his capacity as the Municipal Mayor, has no objection on the request of **Sunwest Construction Corporation through DPWH** to cut **Fifty Six (56)** different species of forest tress that will be affected by the Road Opening in Barangay Tumagabok Sta 38+150-Sta.

Request for permit to cut shall be secured to the proper authority.

Issued this 6th day of May 2019 in Boac, Marinduque.


ROBERTO M. MADLA, C.E.
Municipal Mayor

TALLY SHEET

Name of Proponent:

DPWH

Location of the Project:

Brgy. Tumagabok, Boac, Marinduque

8/15/2018

Tree No.	Species	D (cm)	MH	TH (cm)	Volume (m3)	*Tree Location (GPS reading)		Tree Category Planted/Natural	Stem Quality
						Northing	Easting		
1	G-melina	32	2		0.10	51 P 375336	1487925	Planted	1
2	Bulak	40	4		0.33	51 P 375327	1487957	Natural	1
3	Bakan	35	6		0.38	51 P 375327	1487957	Natural	1
4	Bonliw	40	6		0.49	51 P 375327	1487957	Natural	1
5	Antipolo	20	4		0.08	51 P 375327	1487957	Natural	1
6	Janagdong	30	1		0.04	51 P 375327	1487957	Natural	1
7	Janagdong	15	5		0.05	51 P 375285	1488034	Natural	1
8	Janagdong	15	1		0.01	51 P 375293	1488043	Natural	1
9	Janagdong	15	4		0.04	51 P 375293	1488043	Natural	1
10	Janagdong	20	6		0.12	51 P 375293	1488043	Natural	1
11	Guyong-Guyong	15	4		0.04	51 P 375293	1488043	Natural	1
12	Haguimit	30	3		0.14	51 P 375293	1488043	Natural	1
13	Janagdong	25	6		0.19	51 P 375293	1488043	Natural	1
14	Tangisang Bayawak	35	3		0.19	51 P 375293	1488043	Natural	1
15	Dap Dap	15	3		0.01	51 P 375286	1488143	Natural	1
16	Mango	50	2		0.39	51 P 375284	1488195	Planted	1
17	Mango	50	2		0.26	51 P 375284	1488195	Planted	1
18	Mango	50	1		0.13	51 P 375284	1488195	Planted	1
19	Mango	40	1		0.08	51 P 375284	1488195	Planted	1
20	Mango	40	1		0.08	51 P 375284	1488195	Planted	1
21	Mango	25	2		0.06	51 P 375284	1488195	Planted	1
22	Mango	35	3		0.19	51 P 375284	1488195	Planted	1
23	Mango	15	3		0.03	51 P 375284	1488195	Planted	1
24	Bonliw	15	6		0.07	51 P 375284	1488195	Natural	1
25	Misc.	20	4		0.08	51 P 375273	1488208	Natural	1
26	Janagdong	20	5		0.10	51 P 375273	1488208	Natural	1



Republic of the Philippines

Department of Environment and Natural Resources
Bureau of Forest Management
Boac, Marinduque

STAND AND STOCK TABLE OF TREES

Name of Proponent:

DPWH

Location of Project:


Brgy. Tumagabok, Boac, Marinduque.

SPECIES	D I A M E T E R										C L A S S					
	11 to 15		16 to 20		21 to 25		26 to 30		31 to 35		36-40		41-UP		TOTAL	
	T	V	T	V	T	V	T	V	T	V	T	V	T	V	T	V
G-melina									1	0.10					1	0.10
Bulak											1	0.33			1	0.33
Bakan			1	0.08					1	0.38			1	0.52	3	0.98
Bonliw	2	0.10	3	0.32	1	0.16	1	0.37	1	0.31	1	0.49			9	1.75
Antipolo			1	0.08					1	0.38					2	0.46
Janagdong	3	0.10	2	0.22	1	0.19	1	0.04							7	0.55
Guyong-Guyong	1	0.04													1	0.04
Haguimit							1	0.14							1	0.14
Tangisang-Bayawak			1	0.06					1	0.19			1	0.42	3	0.67
Dap Dap	1	0.01							2	0.56			1	0.52	4	1.09
Mango	1	0.03			1	0.06			1	0.19	2	0.16	3	0.78	8	1.22
Misc.			3	0.20									1	0.84	4	1.04
Dita	1	0.04													1	0.04
Batino	3	0.12	1	0.14	2	0.32	2	0.41							8	0.99
Kalantas			1	0.08											1	0.08
Wisak	1	0.02	1	0.08											2	0.10
TOTAL															56	9.58

Prepared / Inventoried by:


RANDY N. ESTRELLA
Forest Ranger

Noted by:


PAUL BRAIN D. MIJARES
Forester I

	Dita	15	4	0.04	51 P 375273	1488208	Natural	1
	Batino	25	4	0.13	51 P 375273	1488208	Natural	1
	Bakan	20	4	0.08	51 P 375273	1488208	Natural	1
	Batino	15	4	0.04	51 P 375273	1488208	Natural	1
	Antipolo	35	6	0.38	51 P 375273	1488208	Natural	1
32	Batino	20	7	0.14	51 P 375282	1488237	Natural	1
33	Bonliw	30	8	0.37	51 P 375282	1488237	Natural	1
34	Batino	25	6	0.19	51 P 375282	1488237	Natural	1
35	Bakan	45	5	0.52	51 P 375282	1488237	Natural	1
36	Kalantas	20	4	0.08	51 P 375281	1488251	Natural	1
37	Bonliw	25	5	0.16	51 P 375281	1488275	Natural	1
38	Batino	30	5	0.23	51 P 375281	1488275	Natural	1
39	Dap Dap	45	5	0.52	51 P 375303	1488526	Natural	1
40	Misc.	20	5	0.10	51 P 375310	1488535	Natural	1
41	Batino	30	4	0.18	51 P 375317	1488560	Natural	1
42	Misc.	45	8	0.84	51 P 375317	1488560	Natural	1
43	Dap Dap	35	5	0.31	51 P 375844	1489222	Natural	1
44	Bonliw	20	6	0.12	51 P 375844	1489222	Natural	1
45	Wisak	20	4	0.08	51 P 375844	1489222	Natural	1
46	Batino	15	4	0.04	51 P 375844	1489222	Natural	1
47	Batino	15	4	0.04	51 P 375865	1489332	Natural	1
48	Misc.	20	1	0.02	51 P 377624	1489690	Natural	1
49	Tangisang Bayawak	45	4	0.42	51 P 377836	1489665	Natural	1
50	Bonliw	35	5	0.31	51 P 377943	1489583	Natural	1
51	Bonliw	20	5	0.10	51 P 377943	1489583	Natural	1
52	Bonliw	20	5	0.10	51 P 377943	1489583	Natural	1
53	Dap Dap	35	4	0.25	51 P 377943	1489583	Natural	1
54	Tangisang Bayawak	20	3	0.06	51 P 377943	1489583	Natural	1
55	Bonliw	15	3	0.03	51 P 377943	1489583	Natural	1
56	Wisak	15	2	0.02	51 P 377943	1489583	Natural	1

9.58

*Location (geographical coordinates) of the effected trees for government project (eg. DPWH, NGCP, Energy. Etc), Mining, P/SPLTP, etc, is requested to be recorded and serve as basis in charting the effected tree/saplings.

Inventoried by:


RANDY N. ESTRELLA
 Forest Ranger

Noted by:


PAUL BRIAN D. MIJARES
 Forester I

STEM QUALITY:

Code 1 - Straight, cylindrical tree without visible defects or damage