
(no subject)

1 message

Famie Bacomo <famie.bacomo@gmail.com>

Tue, Feb 15, 2022 at 3:40 PM

To: mimaroparegion@denr.gov.ph

Dear Maam Lormelyn E. Claudio,
OIC, Regional Executive Director

Greetings!

This has reference to the operation of the El Nido Sewage and Solid Waste Treatment Plant ("El Nido STP" for brevity) which is a joint project of the Provincial Government of Palawan and the Municipal Government of El Nido. To be fully operational in the area of Bgy. Corongcorong, there is a need to lay the sewer pipeline to connect the sewer cluster collector tank to the commercial establishments and households. The sewer pipeline will traverse along the five (5) meters easement of the riverbank within the mangrove area.

The laying of the sewer pipeline is non-invasive as it will not involve the cutting of any mangrove. Necessary precautions in the laying of the sewer pipelines will be done so as not to cause damage to the environment.

Incidentally, the mangrove area is within an area that is embraced and covered by a Transfer Certificate of Title in the name of the Gorong Bay Corporation.

Considering that the Department of Environment and Natural Resources (DENR) has the primary jurisdiction over the management and disposition of the mangrove area.

Here attached is the reply letter of the EMB-MIMAROPA REGION OFFICE OF THE REGIONAL DIRECTOR for your reference.

Looking forward to your positive response.

Thank you!

Respectfully yours,

Famie C. Bacomo

Famie Bacomo-Ruiz

Project Planning & Development assistant II
Palawan Water
I-Support Water Infrastructure Office
Provincial Government of Palawan
Puerto Princesa City, Palawan

**LETTER FOR PROVINCE OF PALAWAN FROM EMB-MIMAROPA REGIONAL DIRECTOR.pdf**

196K