



Republic of the Philippines
Department of Environment and Natural Resources
BIODIVERSITY MANAGEMENT BUREAU
Ninoy Aquino Parks and Wildlife Center, Quezon Avenue, Diliman, 1100 Quezon City
Tel. Nos.: (632) 8924-6031 to 35 | Fax: (632) 8924-0109, (632) 8920-4417
Website: <https://bmb.gov.ph> | E-mail Address: bmb@bmb.gov.ph

0 6 SEP 2023

MEMORANDUM

FOR : The Regional Executive Director
DENR MIMAROPA
1515 L&S Bldg. Roxas Boulevard, Ermita, Manila
Email ad: mimaroparegion@denr.gov.ph

FROM : The OIC Assistant Director
In Concurrent Capacity as Chief, Coastal and Marine
Division

SUBJECT : REQUEST FOR A COPY OF THE REPORT ON THE
COMPLIANCE MONITORING OF DEL MUNDO TRADING

This pertains to the letter of the CITES Secretariat dated 25 July 2023 (copy attached) regarding the Review of Trade in animal specimens reported as produced in captivity [Resolution Conf. 17.7 (Rev. CoP18)], which include the Long-tailed macaque *Macaca fascicularis* from the Philippines. For this purpose, a set of questions developed by the CITES Animal Committee is required to be answered by the Philippines on or before 23 September 2023.

To facilitate the accomplishment of the said questionnaire, we would like to request a copy of the report on the recent compliance monitoring conducted by the Region to Del Mundo Trading, including updated inventory of stocks duly validated and noted by the Region. We would also appreciate the assistance of the Region in filling-out the attached Data Collection Forms (1 to 4). If you may recall, the same forms are part of the reference material (Guidance for Inspection of Captive Breeding and Ranching Facilities) provided in monitoring registered wildlife farm permit holders per BMB Memorandum dated December 26, 2019 (copy attached).

For information and consideration.

ARMIDA P. ANDRES



Republic of the Philippines
Department of Environment and Natural Resources
BIODIVERSITY MANAGEMENT BUREAU



BMB202304309



UNITED NATIONS DECADE ON
**ECOSYSTEM
RESTORATION**
2021-2030

GENERAL INFORMATION ON THE FACILITY

Date of inspection: _____ Name of senior inspecting officer: _____
 Facility name: _____

Name and position(s) of all inspecting officer(s) present:

1. _____
 2. _____

Type of inspection: Initial Routine Follow-up *(in cases where discrepancies or anomalies, detected during a previous inspection, remain outstanding)* Date of last inspection: _____

Facility trading name(s): _____

Facility owner(s): _____

Facility address and contact information: _____

Year the facility was established: _____

How many staff are currently employed at the facility?

Full time Part time

Name and job title of facility staff accompanying inspecting officer(s):

Does the operation have access to professional veterinary services? Yes No

If yes, what is the name and address of vet? _____

Does this company keep animals at any other location(s)? Yes No

If yes, where? _____

If yes, make arrangements to inspect the location(s) as soon as possible

Next step: Complete Form 3 on the specific species.

SPECIES INFORMATION (to be completed separately for each species held at the facility)

Date of inspection: _____ Name of senior inspecting officer: _____
 Facility name: _____ Species: _____

*Date species first acquired? _____ Source and life-stage of initial stock? _____
 Numbers of initial stock, and sexes, if known _____ Males? Females?
 *Have additional animals been obtained since you acquired the initial stock? If so, from where?

Do you **BREED** this species? Yes No
 When did you start breeding? _____
 # litters/clutches per year? _____
 # offspring/eggs in litter/clutch? _____
 # produced in the previous year? _____

Do you **RANCH** this species?
 Yes No
 What life stage(s) is harvested? _____
 # harvested in the previous year? _____

| ADULT BREEDING STOCK | Facility information | Inspector count (where possible) |
|------------------------------------|----------------------|----------------------------------|
| Number of adults present? | <input type="text"/> | <input type="text"/> |
| Number of males present? | <input type="text"/> | <input type="text"/> |
| Number of females? | <input type="text"/> | <input type="text"/> |
| What % of females breed each year? | <input type="text"/> | |
| What do you feed adult animals? | _____ | |

| REARING STOCK (CAPTIVE BRED AND RANCHED COMBINED) | Facility information | Inspector count (where possible) |
|--|----------------------|----------------------------------|
| Number of juveniles present? | <input type="text"/> | <input type="text"/> |
| Age at sexual maturity (years)? | <input type="text"/> | |
| Size or mass at sexual maturity (cm or g)? | <input type="text"/> | |
| Size at sale (cm or g) | <input type="text"/> | |
| What percentage of juveniles survive beyond 2 weeks? <i>Includes mortalities of eggs that didn't hatch.</i> | <input type="text"/> | |
| What do you feed rearing and juvenile animals? | _____ | |

* Inspectors should ensure specimens were acquired legally and in compliance with CITES. In the case of App. I specimens, invoices and/or bills of sale must be produced.

FACILITY CHECKLIST (to be completed for each species using information obtained during the inspection)

Date of inspection: _____ Name of senior inspecting officer: _____
 Facility name: _____ Species name: _____

FACILITY SCORE TALLY AND FINAL DETERMINATION

Place a tick (✓) in the check box that most accurately reflects the facility for each question. Each check box is allocated a score. Grey boxes should not be ticked.

Once completed, sum the scores to determine the final score for the facility. Use this score to make a determination about the status of the facility at the bottom of the page.

Explanatory text for each question is provide on Page 13 of the guidelines document.

Score

0 1 2

General

- A. Is the facility legally registered to keep and breed all of the species observed during the inspection? No Yes
- B. Was unusual activity observed during the inspection? Yes No

Facilities

- C. Does the facility have housing/containment facilities suitable for the species and life stages in question? No Yes
- D. Are housing/containment facilities adequate and/or suitable for the reported annual production levels and stocks of specimens held in captivity. No Yes
- E. Does the facility keep up-to-date records on specimens of the species being exported? No Yes
- F. Does the operation have suitable facilities for production and/or storage and/or preparation of appropriate food for specimens being raised? No Yes

Species-specific

- G. Does the facility's production output match the estimated production output (from the number of parental stock; # males, # females, # juveniles)? No Yes
- H. Do the specimens in the facility show any signs indicative of wild origin (see explanatory notes)? Yes No
- I. Is the species known to be difficult to breed and/or maintain in captivity? Yes No
- J. Has the facility been established long enough to produce the species in the quantities and sizes claimed? No Yes

Appendix I Species

- K. For species listed in Appendix I, do the parental breeding stock and offspring have a unique and permanent identification mark and number? No Yes

Final Score

Final determination:

Refer to Page 14 of the guidelines for information about making a final determination for a facility.

- Satisfactory
- Follow-up inspection required
- Unsatisfactory

Table 1. Explanatory text to guide completion of the questions in FORM 4.

| Q# | Explanation |
|----|--|
| A. | Facilities should have permits to keep the species observed during the inspection. This should also include species not bred for commercial export, but kept privately. |
| B. | Unusual activity observed during an inspection should be noted. This may include, but not be limited to: denial of inspection officer to an area of the facility (that may be used for housing specimens not permitted in trade, or the facility may not have a license to keep); evidence of shipments of specimens not permitted in trade; and the manager or owner of the facility not being able to provide information about specimens kept at the facility, or know where to locate this information. |
| C. | Suitable enclosures or containment facilities should: Prevent specimens from escaping into the wild; Prevent wild specimens entering the facility and enclosures or containment facilities to mix with captive-bred specimens; and Provide necessary amenities for species-specific growth and development. Suitable species-specific enclosures or containment facilities may include wire cages, glass aquaria, ponds (e.g., for turtles and fish), terrariums (e.g., for reptiles), aviaries (e.g., for birds), yards and fenced paddocks (e.g., for mammals). There may also be specific construction materials and minimum height requirements depending on the species. Adequate structures and facilities should be available in every enclosure for healthy growth of the animals, such as food and water bowls or trays, adequate hiding and basking areas, appropriate wet and dry areas for amphibious species, suitable illumination and temperature, etc. |
| D. | Suitable enclosures or containment facilities should provide adequate equipment, structure and space for breeding animals to live. There should be adequate enclosures or containment facilities to produce the number of offspring and/or specimens claimed to be produced by the facility. |
| E. | Maintenance of records is an integral part of managing captive-breeding and/or ranching operations. Genuine ranching and captive breeding facilities usually keep records of all stock, general husbandry practices and treatment of any diseases or injured specimens. Other records may be kept on: Mortality and disposal of dead specimens; Annual production of stock (neonates, eggs, hatching percentages, etc.) Number and source of parental stock; and Age and identification (e.g., band or tag numbers, transponders, distinguishing marks) of specimen. Records may be as simple as hand-written notes in diaries to elaborate online studbooks. |
| F. | Facilities should provide adequate species-specific food for all life stages of specimens kept. For example, juvenile pythons may require small mice while adults may require large rats or chickens. |
| G. | Specimens declared as captive-bred from facilities that appear to exceed their breeding capacity is indicative of possible suspicious activity. Inspectors should use the Production Capacity Calculator (page 5) provided to determine probable output. This question does not relate to ranching facilities, but must be addressed where a facilities claims to undertake any form breeding in a controlled environment. |
| H. | Specimens taken from the wild often exhibit symptoms not found in captive specimens, which may alert inspectors to potentially false claims of captive breeding. Such indicators may include: <ul style="list-style-type: none"> • High levels of stress (mammals pacing within cages, raw noses of snakes, high levels of aggression or passivity and torpor); • Physical damage (scars on skin of all species, broken turtle carapaces, wounds from snares); and High parasite loads (ticks on snakes, lizards and turtles, lice on mammals and birds) or skin problems (bald/bare areas, scale abnormalities, shell rot, etc.). |
| I. | Facilities claiming to produce large numbers of specimens of species known to be difficult to breed and/or maintain in captivity may warrant greater scrutiny than facilities raising easy to keep species. |
| J. | High volumes of trade in specimens from recently established facilities may indicate suspicious activity. The facility should be established long enough to produce offspring (if claiming the specimens are captive-bred). Examples when this may be the case include species that grow slowly or take many years to reach maturity, and species producing few offspring per litter of clutch. |
| K. | CITES Appendix I specimens are required to be marked with a permanent identification (see Resolution Conf. 12.10 (Rev. CoP15)). Non-compliance with this requirement may signal other ways in which the facility is not complying. |



Republic of the Philippines
Department of Environment and Natural Resources
BIODIVERSITY MANAGEMENT BUREAU
Ninoy Aquino Parks and Wildlife Center
Quezon Avenue, Diliman, Quezon City
Tel. Nos.: (632) 924-6031 to 35 Fax: (632) 924-0109, (632) 920-4417
Website: <http://www.bmb.gov.ph> E-mail: bmb@bmb.gov.ph

DEC 21 2019

MEMORANDUM

TO : The Regional Executive Directors
DENR Regions I-III, V-XII, CAR, NCR, MIMAROPA,
CALABARZON and CARAGA

FROM : The OIC, Assistant Secretary for Climate Change and concurrent
Director, BMB

SUBJECT : COMPLIANCE MONITORING FORM FOR WILDLIFE FARM
PERMIT HOLDER

We are furnishing you a copy of the Compliance Monitoring Form for the use of the concerned personnel of the Regional Office in monitoring the compliance of Wildlife Farm Permit holders within the areas under your jurisdiction. The said form is one of the outputs during the "Training on Techniques in Monitoring Wildlife Breeding Facilities and Identification of Reptile By-Products and Derivatives" held on December 2-6, 2019 in Quezon City which was participated by representatives from different Regional Offices.

We are also providing you the following publication as references in monitoring the registered wildlife farms: 1) Guidance for Inspection of Captive Breeding and Ranching Facilities and 2) Inspection Manual for use in Commercial Breeding Facilities in Southeast Asia. The said documents were also introduced to the participants during the above-said training.

For information and consideration.

RICARDO I. CALDERON, CESO III



Name of Wildlife Farm _____

Wildlife Farm Permit No.: _____

Name of Permittee: _____

Inspector/s: _____

Date Inspected: _____

| Permit's Conditions | Finding/s (Please tick the appropriate box) | Remarks |
|---|--|---------|
| <p>1. Submission of quarterly reports on acquisition, production, production and disposition of stocks to the DENR Region ___ through the PENRO ___/CENRO ___ for accreditation and monitoring purposes of wildlife within the farm In case of mortalities, submission of monthly report duly supported with necropsy reports issued by a licensed veterinarian</p> | <p>Compliant <input type="checkbox"/> Non-compliant <input type="checkbox"/> Partially compliant <input type="checkbox"/></p> <p>If compliant, attached supporting documents:</p> <p>a) <i>Document supporting new acquisition</i> (please specify)</p> <ul style="list-style-type: none"><input type="checkbox"/> Sales Invoice/Official Receipt issued by duly registered WFP holder + Local Transport Permit, if applicable<input type="checkbox"/> Validated import permit + Local Transport Permit, if applicable<input type="checkbox"/> Loan agreement* + proof of legality of the source** + Local Transport Permit, if applicable<input type="checkbox"/> Exchange agreement* + proof of legality of the source** + Local Transport Permit, if applicable<input type="checkbox"/> Deed of donation* + proof of legality of the source** + Local Transport Permit, if applicable <p>b) <i>Breeding reports to support production covering the period</i></p> <p>_____ <input type="checkbox"/></p> <p>c) <i>Documents supporting the disposition</i> (please specify)</p> <ul style="list-style-type: none"><input type="checkbox"/> Sales report + copy of Sales Invoice/Official Receipt issued<input type="checkbox"/> Validated export permit/s<input type="checkbox"/> Loan agreement*<input type="checkbox"/> Exchange agreement*<input type="checkbox"/> Deed of donation* | |

| | | |
|--|---|----------------------------|
| | <p>d) <i>Mortality Reports with attached necropsy reports issued <input type="checkbox"/> by a licensed Veterinarian and photo-documentation to support mortalities</i></p> <p>If partially compliant, please elaborate _____</p> | |
| <p>2 Submission of inventory report and quarterly breeding reports to the BMB Director through the RED of DENR _____ and PENRO _____/CENRO _____ within the first month of the ensuing quarter</p> | <p>Compliant <input type="checkbox"/> Non-compliant <input type="checkbox"/> Partially compliant <input type="checkbox"/></p> | |
| <p>3 Compliance with other requirements as may be imposed by the concerned government agencies/entities (e.g., DOH, DOST) regarding bio-safety measures/protocol</p> | <p>Compliant <input type="checkbox"/> Non-compliant <input type="checkbox"/> Partially compliant <input type="checkbox"/></p> | |
| <p>4 Development/establishment and implementation of marking system (e.g. microchips, etc.) for all the reported breeding stocks and progenies as provided for by the DENR DAO No 2009-01</p> | <p>Compliant <input type="checkbox"/> Non-compliant <input type="checkbox"/> Partially compliant <input type="checkbox"/></p> | |
| <p>5 Ensure safety and proper maintenance of wildlife stocks in its farm facility by observing proper hygienic and strict compliance to quarantine procedures in its operation</p> | <p>Compliant <input type="checkbox"/> Non-compliant <input type="checkbox"/> Partially compliant <input type="checkbox"/></p> | <p>Photo documentation</p> |

*Notarized

**CWR or WFP holder

Recommendations:

**GUIDANCE FOR INSPECTION OF CAPTIVE
BREEDING AND RANCHING FACILITIES**



First edition, February 2017

Prepared under contract for the CITES Secretariat by the International Union for Conservation of Nature (IUCN), Rue Mauverney 28, 1196 Gland, Switzerland.

Written by Jessica A. Lyons, Robert W. G. Jenkins and Daniel J. D. Natusch

Produced with the financial support of the European Union

Reproduction of this publication for educational or other non-commercial purposes is authorized without prior permission from the copyright holders.

Reproduction for resale or other commercial purposes by any means - photographic, electronic or mechanical, including photocopying, recording, taping or information storage and retrieval systems - is prohibited without the prior written permission of the copyright holders.

The geographical designations employed in this book do not imply the expression of any opinion whatsoever on the part of the compilers or the CITES Secretariat concerning the legal status of any country, territory or area, or concerning the delimitation of its frontiers or boundaries.

**CITES Secretariat
Maison internationale de l'environnement
Chemin des Anémones
CH-1219 Châtelaine, Genève
Switzerland**

Tel: +41(0)22 917 8139/40

Fax: +41(0)22 797 34 17

E-mail: info@cites.org

Web: www.cites.org

Acknowledgements of the authors

This guidance benefitted considerably from consultations with experts familiar with the breeding and keeping of different taxa within commercial facilities, zoos and private collections. We would especially like to thank Bill Hughes, Francois Le Berre, Yuri Lukin, Vladimir Odinchenko, Buntje Soetanto, Richard Struijk and Peter Paul van Dijk for giving up their time and information, which improved this guidance framework.

We also thank the many people in range States ranching and captive breeding mammals, birds, reptiles, fish and invertebrates who generously provided us information useful for completing this guidance. In addition, we thank staff from several CITES Management and Scientific Authorities who shared experiences about the challenges inherent in inspecting facilities for different taxa.

Finally, we thank Dena Cator and Richard Jenkins of IUCN for facilitating the work and providing comments that improved the final document, and Claire Beastall of TRAFFIC Southeast Asia for her efforts in producing, as part of an earlier collaboration, the framework for the data collection forms.

SECTION 1. INTRODUCTION

Animals bred or raised in a controlled captive environment, independent of wild populations, except for the occasional acquisition of wild specimens to avoid inbreeding, can be traded without detriment to the wild population. In the case of threatened species, by reducing harvest pressure on wild populations, trade in captive-bred specimens can benefit the recovery and conservation of seriously depleted wild populations. In the same way, ranching of species for trade, whereby eggs or juveniles with a very low probability of survival in the wild are harvested and raised in captivity, is a biologically safe production system, which can also confer conservation benefits to wild populations.

But unless appropriate controls are applied to captive breeding and ranching operations, there is a real potential for these facilities to receive and launder specimens obtained illegally from the wild. In order to avoid this occurring, it is important that CITES Management Authorities and other relevant government regulatory agencies undertake regular and effective inspections of all operations under their jurisdiction that produce specimens of species for trade.

Officials responsible for inspecting a facility should be familiar with the species that is/are being managed in captivity by that facility. Inspections should be preceded by some background research on the biology of the species in question. For example, up to date information on the biology and status of many CITES-listed species can be found at www.iucnredlist.org. This is particularly important when undertaking an initial inspection of a facility or in cases where an established facility has altered its management or expanded its operation to include a new species. If possible, Management Authority personnel, when undertaking an inspection, should be accompanied by a representative of the Scientific Authority or an authorized, independent expert(s).

Inspections undertaken diligently will ensure that a facility is:

- Legally established under, and operates in full compliance with, relevant national legislation;
- Producing captive-bred specimens without regular augmentation of wild-caught specimens or acquisition of illegally obtained specimens; and
- Capable of producing specimens in numbers claimed as captive-bred or ranching.

Regular inspections of each facility, along with the numbers and types of species produced and exported by those facilities, should be conducted with due care and diligence. Inspections should be accompanied by accurate record-keeping by the Management Authority. This will enable the correct source code to be ascribed to CITES Export Permits, thereby facilitating undisrupted, legal and non-detrimental trade in captive-bred and/or ranching specimens of CITES-listed species that will be readily accepted by trading partners and not subject to disruptions in order to verify the accuracy of export documents.

This guidance is modeled on and complemented by a comprehensive inspection and guidance document for reptile captive breeding facilities in Southeast Asia, which was commissioned by the CITES Secretariat and completed by TRAFFIC (2013). It provides an example of how the general framework presented herein can be tailored to be more specific to production systems and species of interest. The reptile inspection manual is available here: <https://cites.unia.es/cites/file.php/1/files/cb-captive-breeding-manual-en.pdf>

SECTION 2. HOW TO USE THIS INSPECTION MANUAL

This manual guides users through the three steps of a facility inspection:

- Before inspection of the facility;
- During inspection of the facility; and
- After inspection of the facility.

Information gathered during these three steps should be compared to determine the veracity of a facility's claims of captive breeding and/or ranching. It is important that the responsible regulatory agency keep detailed and accurate records of inspections, as these are essential for long-term monitoring and assessing annual production levels and overall management performance.

For each step, detailed instructions and data collection forms are provided. Begin the procedure at STEP 1: BEFORE INSPECTION OF FACILITY. Ensure all tasks and steps are completed before proceeding to the next step.

STEP 1: BEFORE INSPECTION OF THE FACILITY

The aim of this guidance is to provide a general framework for national CITES Management and Scientific Authorities, and other relevant agencies, to assist in assessing facilities claiming to produce captive-bred and/or ranched specimens and evaluating their capacity to produce the numbers of specimens being traded each year. Regular and objective inspections of captive breeding and ranching facilities should ideally be undertaken annually as part of the Management Authority's work plan, and are important to ensure the statutory requirements of the Convention are fulfilled.

A. Timing of inspections

If an operation is licensed, or claims to ranch or breed a species in captivity, the principal purpose of regulatory inspections is to verify the authenticity and legality of the operation. It is very important, therefore, that inspections, whenever possible, coincide with key activities (or events) that characterise (or define) the management regime being practised (i.e. ranching and/or captive breeding).

Where a species is being ranched and/or bred in captivity, inspections should coincide with either:

- The collection and incubation of eggs and/or husbandry of wild-caught neonates delivered to the facility for incubation and/or rearing in the case of ranching operations; or
- On-site egg production and hatching and/or live birth in the case of closed-cycle captive breeding operations.

B. Pre-inspection preparations (to be completed at least 24 hours prior an inspection)

The following steps should be undertaken when preparing to inspect a facility that produces, keeps and exports specimens with the intent of exporting the offspring produced.

1. Examine existing records to ensure the facility is legally registered to keep, breed or ranch the species in question. Confirm there are no outstanding infringements that are being investigated by enforcement officials.
2. Determine, from past records and inspections, what kind of captive management is practised by the facility (e.g. captive breeding, ranching and/or wild harvest). Many facilities practise a combination of some (or all) of the foregoing management regimes. Inspections of these facilities may require more detailed scrutiny to ensure compliance with the more restrictive forms of management such as captive breeding and ranching. For newly established operations, the Management Authority, in the company of the Scientific Authority, should undertake inspections. These initial inspections should be rigorous, in order to establish detailed baseline information on the type of captive management practised and numbers of specimens held, against which subsequent inspection can be compared.
3. Examine existing records to determine what species are held by the facility, and what types of specimens (live animals, skins, etc.) and quantities (numbers or weights) have been exported in the past. Record this information in FORM 1 (on page 9).
4. To estimate the number of specimens of different life-stages or year classes that should be present during the inspection, complete the Production Capacity Calculator (on page 5) based on information obtained during the last inspection or, if available, more recent information. Note that the number of specimens that can be present is the total production of successive years minus the numbers sold/exported by the facility and the average mortality during growth of the year classes. This is why it is important to be aware of, and have ready access to, previous information on inspections and the acquisition, sale and export of specimens.
5. Ensure that all the necessary inspection forms and writing instruments are taken on the inspection visit to avoid the need to commit important information to memory. If possible, a digital camera should be used to support written details of the inspection.
6. Ideally, two officials should undertake inspections to ensure objectivity and to avoid an individual official being compromised in the event that any discrepancy or anomaly is detected.


STEP 1 TASKS TO COMPLETE (tick boxes when completed):

- Confirm the facility owner or manager will be present at the facility for the inspection.
- Confirm the facility owner or manager is aware of what information is required and is willing to provide records of stock (such as copies of permits to keep, breeding records, etc.).
- Using information from previous inspections complete **FORM 1** (page 9) relating to which species the facility is registered to keep and the numbers of specimens held. If such information is not available, this should be treated as your initial inspection and **FORM 1** should be completed during the present visit.
- Complete the Production Capacity Calculator based on available information (page 5).
- Ensure you have writing material (pencil, notebook, ruler), previous inspection reports (if available) and digital camera (if available).

PRODUCTION CAPACITY CALCULATOR

This calculator allows inspectors to objectively estimate the mean number of individuals capable of being produced by a facility based on the number of adult (reproductive) females observed and the average number of reproductive events per annum. The calculation should be completed before the inspection (using information from previous inspections and official records on exports, etc.). The calculation should then be repeated using the number of stock observed during the current inspection. This calculation can be reversed (e.g. by using division), to determine the number of female stock required to meet annual reported production.

Begin at the red box and finish at the yellow box in the diagram below to complete the production capacity calculations before and after the inspection based on reported production by the facility. Explanatory text is provided below the diagram.



| BREEDING PARAMETER | INFORMATION ENTERED INTO PRODUCTION CALCULATOR |
|--|---|
| # of breeding females | The total number of breeding females observed or claimed to be at the facility. Enter as a whole number. E.g., 50. |
| Mean % females breeding per season | The mean percentage (proportion) of females producing a clutch or litter per year. This information can be supplied by the facility, but should be confirmed using reliable external sources. E.g., enter 70% enter as 0.7. |
| Mean number of litters / clutches per year | The mean number of litters or clutches produced by females per year. This information can be supplied by the facility, but should be confirmed using reliable external sources. Enter as a whole number, such as 2. |
| Mean number of offspring / eggs in litter / clutch | This information can be supplied by the facility, but should be confirmed using reliable external sources. Enter as a whole number, such as 20. |
| ¹ Mean % surviving after two weeks | The mean number of eggs or live offspring produced that survive two weeks after hatching or birth. Enter as a percentage (of offspring surviving). E.g., Enter 80% as 0.8. |
| # of young per year at the facility inspected | The estimated number of offspring the observed or claimed number of female stock can produce each year. |

STEP 2: DURING INSPECTION OF THE FACILITY

A. Meeting with the facility owner or manager

1. Upon arriving at the facility, meet with the facility owner or manager. Provide an explanation for the purpose of the inspection and reconfirm the types of information to be gathered.
2. Confirm with the facility owner or manager the information entered into data collection FORM 1 based on information from prior inspections or trade records. Update the form as appropriate.
3. Be aware of the information contained in FORM 1 regarding previous numbers of specimens and past trading activity of the facility. Together with information provided by the facility owner or manager, keep this in mind and begin to decide if it is corroborated by what is observed during the physical inspection.

B. Inspection of facility

1. Inspect the facility with owner and/or manager. When conducting an inspection be sure to take photos of specimens from all life-stages, enclosures or containment facilities, food storage and/or preparation areas, and incubation areas.
2. Complete the questions in FORMS 2-4, keeping in mind the production level of the facility that has been claimed by owner or manager.
3. Using the information gathered in FORMS 2-4, complete the Determination of Source (Page 7) to identify the correct source of the specimens at the facility.
4. After conducting a physical inspection of the captive stock and facilities, the Management Authority official and (ideally) representative(s) of the Scientific Authority should meet with the owner or manager of the operation to examine records and discuss any issue related to the inspection.

¹ % surviving after two weeks is an arbitrary time period in which animals of most taxa experience their highest mortality rates. We acknowledge the two-week period may be more applicable to some species than others and encourage inspectors to use their own taxon specific estimators where necessary.

TASKS TO COMPLETE:


- Complete data collection **FORMS 2-4** (pages 10-12).
- Complete **Determination of Source** (page 7).

NOTES ON DATA COLLECTION FORMS

1. The data collection forms accompanying this manual are to record important information about the facilities being inspected, and the numbers and types of specimens being ranched or bred by them. Knowledge accrued about facilities over time provides baseline information useful for future comparison and detection of potentially illicit activity. All data forms should be printed before each inspection.
2. **FORM 1** (page 9) should be filled out before facility inspections using information from previous visits. Inspectors can use this information to acquaint themselves with the facility before an inspection is undertaken and to provide a reference base for what a facility claims vs. what is observed.
3. **FORM 2** (page 10) aims to collect background information on the facility and should be filled out during inspections.
4. **FORM 3** (page 11) aims to collect detailed information on EACH species being bred or ranched at the facility and should be filled out during the inspection.
5. **FORM 4** (page 12) should be partially filled out during the inspection and completed afterwards. Use the form to make a final determination about the facility by scoring a set of questions and comparing them to Table 2 on Page 14 of these guidelines. FORM 4 will also help determine the appropriate source code for specimens traded by facility.

DETERMINATION OF SOURCE

1. To determine the source of specimens traded by a facility, ask the manager to explain the production process and record the information provided in the section on ranching and captive breeding in **FORM 3**.
2. To independently verify the source of specimens, complete the Source chart below, beginning at the black X and answering each question with a "Yes" or "No" before proceeding.
3. The Source chart should be used in conjunction with the results of the facility checklist provided in **FORM 4**.
4. Explanatory text is provided below the Source chart to assist with answering each question.



EXPLANATORY NOTES FOR QUESTIONS 1 – 3

1. A captive population of adult specimens is an essential feature of any captive-breeding operation. Adult specimens must be marked appropriately {mandatory for Appendix-I listed species [Resolution Conf. 12.10 (Rev. CoP15)]} and should be housed in secure enclosures or containment facilities that are separated from the general captive population of juvenile rearing stock. However, separating adults from other stock may not be applicable for all species (e.g., social birds and some mammals).
2. Enclosures or containment facilities may contain sand, mud or debris for egg laying by crocodiles or turtles, nest boxes for birds, snakes and small mammals, burrows for mammals or monitor lizards, or suitable vegetation and substrate for aquarium fish, amphibians and invertebrates. For some species, notably large mammals (some ungulates, bears, tigers), there should be sufficient facilities and enclosures for pregnant or nursing females to be separated from the general adult population. Finally, in some cases, specific facilities for egg incubation, or lab and vet facilities to induce spawning (e.g., fish), may also be required. For species that may not require specific facilities for reproduction, the answer should be "Yes".
3. Using the Production Capacity Calculator (page 5), Management Authority officials, in consultation with Scientific Authority representatives, should determine whether the observed numbers of adults are capable of producing the numbers of eggs and/or neonates observed or reported. Where possible the total number of reproductive females should be recorded in order to provide a more accurate estimate of annual production levels.

GENERAL INFORMATION ON THE FACILITY

Date of inspection: _____ Name of senior inspecting officer: _____
Facility name: _____

Name and position(s) of all inspecting officer(s) present:

1. _____
2. _____

Type of inspection: Initial Date of last inspection: _____
 Routine
 Follow-up (*in cases where discrepancies or anomalies, detected during a previous inspection, remain outstanding*)

Facility trading name(s): _____

Facility owner(s): _____

Facility address and contact information: _____

Year the facility was established: _____

How many staff are currently employed at the facility?

Full time Part time

Name and job title of facility staff accompanying inspecting officer(s):

Does the operation have access to professional veterinary services? Yes No

If yes, what is the name and address of vet? _____

Does this company keep animals at any other location(s)? Yes No

If yes, where? _____

If yes, make arrangements to inspect the location(s) as soon as possible

Next step: Complete Form 3 on the specific species.

SPECIES INFORMATION *(to be completed separately for each species held at the facility)*

Date of inspection: _____ Name of senior inspecting officer: _____
 Facility name: _____ Species : _____

*Date species first acquired? _____ Source and life-stage of initial stock? _____
 Numbers of initial stock, and sexes, if known _____ Males? Females?
 *Have additional animals been obtained since you acquired the initial stock? If so, from where?

Do you **BREED** this species? Yes No
 When did you start breeding? _____
 # litters/clutches per year? _____
 # offspring/eggs in litter/clutch? _____
 # produced in the previous year? _____

Do you **RANCH** this species?
 Yes No
 What life stage(s) is harvested? _____
 # harvested in the previous year? _____

| ADULT BREEDING STOCK | Facility information | Inspector count (where possible) |
|------------------------------------|----------------------|----------------------------------|
| Number of adults present? | <input type="text"/> | <input type="text"/> |
| Number of males present? | <input type="text"/> | <input type="text"/> |
| Number of females? | <input type="text"/> | <input type="text"/> |
| What % of females breed each year? | <input type="text"/> | |
| What do you feed adult animals? | _____ | |

| REARING STOCK (CAPTIVE BRED AND RANCHED COMBINED) | Facility information | Inspector count (where possible) |
|--|----------------------|----------------------------------|
| Number of juveniles present? | <input type="text"/> | <input type="text"/> |
| Age at sexual maturity (years)? | <input type="text"/> | |
| Size or mass at sexual maturity (cm or g)? | <input type="text"/> | |
| Size at sale (cm or g) | <input type="text"/> | |
| What percentage of juveniles survive beyond 2 weeks? <i>Includes mortalities of eggs that didn't hatch.</i> | <input type="text"/> | |
| What do you feed rearing and juvenile animals? | _____ | |

* Inspectors should ensure specimens were acquired legally and in compliance with CITES. In the case of App. I specimens, invoices and/or bills of sale must be produced.

FACILITY CHECKLIST (to be completed for each species using information obtained during the inspection)

Date of inspection: _____ Name of senior inspecting officer: _____
 Facility name: _____ Species name: _____

FACILITY SCORE TALLY AND FINAL DETERMINATION

Place a tick (✓) in the check box that most accurately reflects the facility for each question. Each check box is allocated a score. Grey boxes should not be ticked.

Once completed, sum the scores to determine the final score for the facility. Use this score to make a determination about the status of the facility at the bottom of the page.

Explanatory text for each question is provide on Page 13 of the guidelines document.

Score

General

A. Is the facility legally registered to keep and breed all of the species observed during the inspection?

0 1 2

| | | |
|--------------------------|--------------------------|-------------------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| No | Yes | |

B. Was unusual activity observed during the inspection?

| | | |
|--------------------------|--------------------------|-------------------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Yes | No | |

Facilities

C. Does the facility have housing/containment facilities suitable for the species and life stages in question?

| | | |
|--------------------------|--------------------------|-------------------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| No | Yes | |

D. Are housing/containment facilities adequate and/or suitable for the reported annual production levels and stocks of specimens held in captivity.

| | | |
|--------------------------|-------------------------------------|--------------------------|
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| No | | Yes |

E. Does the facility keep up-to-date records on specimens of the species being exported?

| | | |
|--------------------------|--------------------------|-------------------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| No | Yes | |

F. Does the operation have suitable facilities for production and/or storage and/or preparation of appropriate food for specimens being raised?

| | | |
|--------------------------|-------------------------------------|--------------------------|
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| No | | Yes |

Species-specific

G. Does the facility's production output match the estimated production output (from the number of parental stock; # males, # females, # juveniles)?

| | | |
|--------------------------|-------------------------------------|--------------------------|
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| No | | Yes |

H. Do the specimens in the facility show any signs indicative of wild origin (see explanatory notes)?

| | | |
|--------------------------|--------------------------|-------------------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Yes | No | |

I. Is the species known to be difficult to breed and/or maintain in captivity?

| | | |
|--------------------------|--------------------------|-------------------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Yes | No | |

J. Has the facility been established long enough to produce the species in the quantities and sizes claimed?

| | | |
|--------------------------|--------------------------|-------------------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| No | Yes | |

Appendix I Species

K. For species listed in Appendix I, do the parental breeding stock and offspring have a unique and permanent identification mark and number?

| | | |
|--------------------------|--------------------------|-------------------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| No | Yes | |

Final Score

Final determination:

Refer to Page 14 of the guidelines for information about making a final determination for a facility.

- Satisfactory
- Follow-up inspection required
- Unsatisfactory

Table 1. Explanatory text to guide completion of the questions in FORM 4.

| Q# | Explanation |
|----|--|
| A. | Facilities should have permits to keep the species observed during the inspection. This should also include species not bred for commercial export, but kept privately. |
| B. | Unusual activity observed during an inspection should be noted. This may include, but not be limited to: denial of inspection officer to an area of the facility (that may be used for housing specimens not permitted in trade, or the facility may not have a license to keep); evidence of shipments of specimens not permitted in trade; and the manager or owner of the facility not being able to provide information about specimens kept at the facility, or know where to locate this information. |
| C. | Suitable enclosures or containment facilities should: Prevent specimens from escaping into the wild; Prevent wild specimens entering the facility and enclosures or containment facilities to mix with captive-bred specimens; and Provide necessary amenities for species-specific growth and development. Suitable species-specific enclosures or containment facilities may include wire cages, glass aquaria, ponds (e.g., for turtles and fish), terrariums (e.g., for reptiles), aviaries (e.g., for birds), yards and fenced paddocks (e.g., for mammals). There may also be specific construction materials and minimum height requirements depending on the species. Adequate structures and facilities should be available in every enclosure for healthy growth of the animals, such as food and water bowls or trays, adequate hiding and basking areas, appropriate wet and dry areas for amphibious species, suitable illumination and temperature, etc. |
| D. | Suitable enclosures or containment facilities should provide adequate equipment, structure and space for breeding animals to live. There should be adequate enclosures or containment facilities to produce the number of offspring and/or specimens claimed to be produced by the facility. |
| E. | Maintenance of records is an integral part of managing captive-breeding and/or ranching operations. Genuine ranching and captive breeding facilities usually keep records of all stock, general husbandry practices and treatment of any diseases or injured specimens. Other records may be kept on: Mortality and disposal of dead specimens; Annual production of stock (neonates, eggs, hatching percentages, etc.) Number and source of parental stock; and Age and identification (e.g., band or tag numbers, transponders, distinguishing marks) of specimen. Records may be as simple as hand-written notes in diaries to elaborate online studbooks. |
| F. | Facilities should provide adequate species-specific food for all life stages of specimens kept. For example, juvenile pythons may require small mice while adults may require large rats or chickens. |
| G. | Specimens declared as captive-bred from facilities that appear to exceed their breeding capacity is indicative of possible suspicious activity. Inspectors should use the Production Capacity Calculator (page 5) provided to determine probable output. This question does not relate to ranching facilities, but must be addressed where a facilities claims to undertake any form breeding in a controlled environment. |
| H. | Specimens taken from the wild often exhibit symptoms not found in captive specimens, which may alert inspectors to potentially false claims of captive breeding. Such indicators may include: <ul style="list-style-type: none"> • High levels of stress (mammals pacing within cages, raw noses of snakes, high levels of aggression or passivity and torpor); • Physical damage (scars on skin of all species, broken turtle carapaces, wounds from snares); and High parasite loads (ticks on snakes, lizards and turtles, lice on mammals and birds) or skin problems (bald/bare areas, scale abnormalities, shell rot, etc.). |
| I. | Facilities claiming to produce large numbers of specimens of species known to be difficult to breed and/or maintain in captivity may warrant greater scrutiny than facilities raising easy to keep species. |
| J. | High volumes of trade in specimens from recently established facilities may indicate suspicious activity. The facility should be established long enough to produce offspring (if claiming the specimens are captive-bred). Examples when this may be the case include species that grow slowly or take many years to reach maturity, and species producing few offspring per litter of clutch. |
| K. | CITES Appendix I specimens are required to be marked with a permanent identification (see Resolution Conf. 12.10 (Rev. CoP15)). Non-compliance with this requirement may signal other ways in which the facility is not complying. |

STEP 3: AFTER INSPECTION OF THE FACILITY

1. Once the inspection is finished, re-complete the Production Capacity Calculator (page 5) to determine the approximate number of specimens that should be present at the facility, or capable of being produced, based on the updated information gathered during the inspection.
2. Using the Production Capacity Calculator (page 5), and the information gathered during the inspection and entered into the facility checklist in FORM 4, determine the sum of scores for the facility.
3. Using the sum of scores for the facility and guidance in Table 2 below, determine the likelihood the facility is breeding and/or ranching the specimens in captivity.
4. In some instances (e.g., discrepancies between estimated and observed numbers of offspring, or lack of suitable breeding infrastructure) it may be necessary to undertake more intensive, follow-up inspections in the company of a representative of the Scientific Authority (or other suitably qualified official) in order to more accurately assess breeding and/or husbandry performance by scrutinizing records more closely.

Table 2. Decision-making guidance based on the sum of scores on inspection FORM 4.

| Points | Guidance for determining the likelihood of compliance with CITES |
|----------------|---|
| <8 | <p>It is <u>unlikely</u> that the facility is breeding or ranching the number of specimens claimed. Management Authorities should monitor the facilities' operations closely. In such cases further, more rigorous, inspections should be undertaken with the aid of additional (appropriate) expertise. Caution should be exercised when issuing permits for export.</p> <p>If additional inspections confirm illegal activity, the matter should be referred to enforcement officials for appropriate action.</p> |
| 8 – 11 | <p>It is <u>likely</u> that the species in question is being ranched (apply source code R).</p> <p>In the case of operations claiming to breed the species in captivity, some doubt remains on the appropriateness of using source code C or D. Caution should be exercised when issuing permits.</p> <p>However, this score may simply reflect sub-optimal management, and additional data from more rigorous inspections are needed to determine production capacity with confidence.</p> |
| > 11 | <p>There is a <u>very high probability</u> that the facility is ranching or breeding animals in captivity.</p> |