

Republic of the Philippines Department of Environment and Natural Resources

Region IV- MIMAROPA

Provincial Environment and Natural Resources Office

O OUTGOING

20 June 2022

MEMORANDUM

FOR

The Regional Executive Director

MIMAROPA Region

THRU

The Assistant Regional Director

Management Services

FROM

The In-Charge, Office of the PENRO

Calapan City, Oriental Mindoro

SUBJECT

REPORT ON THE REPAIR AND MAINTENANCE OF

VEHICLES AND OFFICE EQUIPMENT OF CENROSOCORRO FOR THE 2^{ND} QUARTER CY 2022

Respectfully forwarded is the attached report of CENRO-Socorro, Oriental Mindoro on the repair and maintenance of vehicles and office equipment covering the 2nd quarter period of CY 2022.

For reference.

Tracking no. 2206000472 & 2206000473 fn:msd/admin/hr/property/gem

MEMORANDUM

FOR

The In-charge, Office of the PENRO

FROM

The CENR Officer

SUBJECT

SUBMISSION OF REPORT ON THE REPAIR AND

MAINTENANCE OF OFFICE VEHICLES OF CENRO

SOCORRO FOR THE 2ND QUARTER OF 2022

Respectfully forwarding the report on the abovecited subject.


Please be informed that CENRO Socorro's service vehicles underwent periodic maintenance which includes change oils, air-conditioning system check-up, renewal of GSIS insurance and/or LTO registration.

For information and record.

DENR-MIMAROPA REGION

RODEL M. BOYLI

CSoc/GSS/Adi



MEMORANDUM

FOR

The CENR Officer

FROM

The In-Charge, GSS

SUBJECT

SUBMISSION OF REPORT ON THE REPAIR AND

MAINTENANCE OF OFFICE VEHICLES OF CENRO

SOCORRO FOR THE 2ND QUARTER OF 2022

Respectfully submitting the report on abovecited subject.

Please be informed that as part of the Maintenance of CENRO Socorro's service vehicles from April 1 to date, one (1) utility vehicle (Montero Sport) and five (5) motorcycles underwent change oils.


Further, one (1) of the motorcycles was renewed of its GSIS insurance and ready for renewal of its registration in LTO while one utility vehicle (Isuzu D-max) was both renewed of its GSIS insurance and LTO registration.

Additionally, the air-conditioning system of one (1) utility vehicle (Isuzu D-max) underwent check-up and repair.

For information and further instruction, if any.

ADRIAN V. CATUD





MEMORANDUM

FOR

The In-charge, Office of the PENRO

FROM

The CENR Officer

SUBJECT

SUBMISSION OF REPORT ON THE REPAIR AND

MAINTENANCE OF OFFICE/OTHER EQUIPMENT OF

CENRO SOCORRO FOR THE 2ND QUARTER OF 2022

Respectfully forwarding the report on the abovecited subject.


Please be informed that there were maintenance conducted in CENRO Socorro's water system, Guesthouse and Watersheds air-conditioning units and Calapan City Port Monitoring Station's electrical system and signage.

Further, the repair/check-up of computers, accessories and equipment were undertaken by PENRO ICT Unit.

For information and record.

DENR-MIMAROPA REGION
PROVINCIAL ENVIRONMENT AND NATURAL
RESOURCES OFFICE
ORBINAL MITDOOINO
PEMIO TRACKING NO
RECEIVED BY: para larger
DAYE: JUN 1 7 2022

RODEL M. BOYLES



MEMORANDUM

FOR

The CENR Officer

FROM

The In-Charge, GSS

SUBJECT

SUBMISSION OF REPORT ON THE REPAIR AND MAINTENANCE OF OFFICE/OTHER EQUIPMENT OF

CENRO SOCORRO FOR THE 2ND QUARTER OF 2022

Respectfully submitting the report on abovecited subject.

Please be informed that the following activities were done as part of the Maintenance of CENRO Socorro's Offices and other equipment from April 1 to date.

- CENRO Socorro's Main Building
 - Replacement of the Water System Due to the failure of the old motor of water system, the water motor/machine and pressure tank were replaced.
- PAMO, Guesthouse and Watershed
 - Replacement of four (4) light bulbs.
 - Checkup and cleaning of three (3) air-conditioning units one (1) split type in guesthouse and two (2) box-type in Watershed.
- Calapan City Port Monitoring Station
 - Replacement of four (4) light bulbs and one (1) electrical fuse.
 - Reprinting of Monitoring Station tarpaulin
- Maintenance of computers and its accessories
 - Reformat of two (2) laptops.
 - Check-up of two (2) printers and two (2) Desktop computers.

Further, the repair of other air-conditioning units were not yet done.

For information and further instruction, if any.

ADRIAN V. CATUD