

**MEMORANDUM** 

FOR : The Regional Executive Director

**DENR MIMAROPA Region** 

THRU: The OIC- Assistant Regional Director for Technical Services

Services DATE NO.

06 Jan 2023

December 13, 2022

**FROM**: The OIC-PENR Officer

SUBJECT: ACCOMPLISHMENT REPORT OF FOREST RESOURCE

UTILIZATION UNIT (FRUU) FOR THE MONTH OF

**DECEMBER 2022** 

Please be informed that we have processed, one (1) Private Land Timber Permit (PLTP) for planted trees, three (3) Special Tree Cutting Permits for NGA's, and two (2) Tenurial instruments as specified in the table below:

#### •Issuance of PLTP for planted trees

| No | Name of Applicant | Address                                    | No.<br>of<br>Trees | Location                                | Date<br>Approved | Remarks  |
|----|-------------------|--|--------------------|---|------------------|--|
| 1. | Carina Motol      | Brgy.<br>Guisian,<br>Mogpog,<br>Marinduque | 1                  | Brgy. Guisian,<br>Mogpog,<br>Marinduque | November 4, 2022 | The client was already informed, but the permit is still unclaimed |

#### • Issuance of STCP for National Government Agencies

| No | STCP No.                              | Name of<br>Governtment<br>Agency | No.<br>of<br>Trees | Location   | Date<br>releeased | Remarks                           |
|----|---------------------------------------|----------------------------------|--------------------|--|-------------------|-----------------------------------|
| 1. | DENR PENRO<br>MARINDUQUE-<br>2022-014 | DPWH-<br>MDEO                    | 76                 | Brgy.<br>Makulapnit,<br>Sta. Cruz,<br>Marinduque |                   | No seedling replacement submitted |
| 2. | DENR PENRO<br>MARINDUQUE-<br>2022-015 | DPWH-<br>MDEO                    | 51                 | Brgy.Talawan,<br>Torrijos,<br>Marinduque         |                   | No seedling replacement submitted |
| 3. | DENR PENRO<br>MARINDUQUE-<br>2022-031 | DPWH-<br>MDEO                    | 7                  | Brgy. Yook,<br>Buenavista,<br>Marinduque         |                   | No seedling replacement submitted |

Email: penromarinduque@denr.gov.ph

### Processed and endorsed application for FlagT

| No | Name of<br>Applicant  | Type of Tenurial instrument | Location                               | Date<br>Transmitted |
|----|---|-----------------------------|--|---------------------|
| 1  | Ariel Ola   | FlagT                       | Brgy. Capayang,<br>Mogpog, Marinduque  | August 30,<br>2022  |
| 2  | Kapatirang Marinduqueño- Nangka- II Agriculture Cooperative | FlagT                       | Brgy. Nangka-II,<br>Mogpog, Marinduque | October 27,<br>2022 |

Attached are photocopies of the permits that will serve as our Means of Verification (MOVs) for December, 2022.

For information and record

F. Juleecce IMELDA M. DEAZ

#### Republic of the Philippines

Department of Environment and Natural Resources Provincial Environment and Natural Resources Office Boac, Marinduque

PLTP No. 2022 - 022

MRS. CARINA MOTOL

Brgy. Guisian Mogpog, Marinduque

Dear Mrs. Motol,

This refers to your request to cut and utilize **one (1)** Narra (*Pterocarpus indicus*) tree situated within your private land identified as Lot No. 10018, Cad. 692-D, covered by Original Certificate of Title No. CLOA-27992 situated in Brgy. Guisian, Mogpog, Marinduque.

Considering the merit of the request, as well as your compliance to the documentary requirements, and pursuant to the DENR Administrative Order No. 2022-10 entitled, "Revised DENR Manual of Authorities on Technical Matters", Private Land Timber Permit is hereby granted to your favor to cut one (1) Narra (Pterocarpus indicus) tree within the aforementioned lot with a net harvestable volume of 0.231cu.m after deducting 30% allowance for internal defects and harvesting inefficiency as shown in the table below.


| Species | No. Of trees inventoried | Gross Volume<br>(cu.m.) | Net Volume (cu.m) |
|---------|--------------------------|-------------------------|-------------------|
| Narra   | 1                        | 0.33                    | 0.231             |
| Total   | 1                        | 0.33                    | 0.231             |

Pursuant to Memorandum Order No. 2012-02 Dated November 2012 also known as "Uniform Replacement Ratio for Cut or Relocated Trees", the permittee is required to replace each tree to be cut with fifty (50) seedlings, strictly of indigenous species with atleast one (1) meter in height to be donated by the permittee to DENR PENRO Marinduque in support to the National Greening Program and Climate Change initiatives of the Government.

Very truly yours,

IMELDA M. DIAZ OIC-PENR Officer

\*\*\*Not Valid without DENR PENRO Marinduque Official Dry Seal\*\*\*



### CERTIFICATION

THIS IS TO CERTIFY that Mrs. Carina Motol has been issued a Private Land Timber Permit No. 222 has delivered Fifty (50) Narra seedlings (*Pterocarpus indicus*).

The delivery of the above-cited seedlings is in compliance to the DMO No. 2012-02 or "Uniform Replacement Ratio for Cut and Relocated trees" in support to NATIONAL GREENING PROGRAM (NGP) AND CLIMATE CHANGE INITIATIVES OF THE GOVERNMENT as stipulated in the terms and conditions of their TREE CUTTING PERMIT/CLEARANCE.

Issued this <sup>04th</sup> day of November, 2022

SIMEONA. DIAZ
LMO III/Chief, RPS
In-Charge, Technical Services Division

| Co | nfori | med | d by: |  |
|----|-------|-----|-------|--|
|    |       |     |       |  |
|    |       |     |       |  |

Capitol Compound, Bangbangalon, Boac, Marinduque (042) 332-1490/ 332-1913



## SPECIAL TREE CUTTING PERMIT NO. DENR PENRO MARINDUQUE-2022-014

Pursuant to P.D. 705, as amended, DAO 2018-16, DAO 2020-06 and existing forestry laws, rules, and regulations, a **Special Tree Cutting Permit** is hereby granted to:

### DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS-MARINDUQUE DISTRICT ENGINEERING OFFICE REPRESENTED BY EVELYN R. PUERTOLLANO, DISTRICT ENGINEER

For the Purpose of REHABILITATION OF MAKULAPNIT ROAD, STA. CRUZ, MARINDUQUE

located at

Barangay Makulapnit, Sta. Cruz, Marinduque

#### Subject to the following conditions:

- 1. The trees requested for removal shall be incorporated in the design of the project to be rehabilitated/reconstructed, to the extent possible, to minimize loss of trees;
- 2. Maximum of Seventy-six (76) trees, as verified by PENRO Technical Personnel shall be authorized to be cut. Tabulated below are the trees authorized to be cut:

Table 1. Trees authorized to be cut:

| Name of Species                                | No. of Trees<br>Inventoried | Gross<br>Volume<br>(cu.m) | Net Volume<br>(cu.m) | Tree<br>Category |
|--|-----------------------------|---------------------------|----------------------|------------------|
| Ilang-ilang (Cananga odorata)                  | 2                           | 0.51                      | 0.357                | Natural          |
| Mango (Mangifera Indica)                       | 13                          | 5,38                      | 3.766                | Planted          |
| Langka (Artocarpus heterophyllus               | 3                           | 0.81                      | 0.567                | Planted          |
| Antipolo (Artocarpus blancoii)                 | 2                           | 0.50                      | 0.350                | Natural          |
| Mahogany (Swietenia macrophylla)               | 7                           | 3.07                      | 2.149                | Planted          |
| Gmelina (Gmelina arborea)                      | 1                           | 0.47                      | 0.329                | Planted          |
| Calyptus (Acacia auri) (Acacia auriculiformis) | 17                          | 7.88                      | 5.516                | Planted          |
| Pine tree (Agoho) (Casuarina eqesitifolia)     | 30                          | 26.40                     | 18.480               | Planted          |
| Miscellaneous species                          | 1                           | 0.54                      | 0.378                | Natural          |
| Grand Total                                    | 76                          | 45.76                     | 31.892               |                  |

- The trees cut and parts thereof shall be properly turned over to PENRO Marinduque by the permittee and must be accompanied by a letter indicating the number of logs, species, and its corresponding volume to be officially acknowledged and recorded by the Monitoring and Enforcement Section for proper disposition based on existing guidelines;
- 4. Issues that will arise from the tree cutting should be addressed directly by the permittee;
- 5. Prior to tree cutting operations, a placard or signboard measuring 4' x 8' shall be installed within the cutting area informing the public that the tree cutting operation is authorized by the DENR and indicating the name of the permittee, the purpose of tree cutting and the number of trees to be cut;

page 1 of 2

Capitol Compound. Barangay Bangbangalon. Boac, Marinduque Telephone Nos.: (042) 332-1490/(042) 332-0727/(042) 332-0927/(042) 332-1913

Website: https://penromarinduque.gov.ph/ Email: penromarinduque@denr.gov.ph



### SPECIAL TREE CUTTING PERMIT NO. DENR PENRO MARINDUQUE-2022-014

Pursuant to P.D. 705, as amended, DAO 2018-16, DAO 2020-06 and existing forestry laws, rules, and regulations, a **Special Tree Cutting Permit** is hereby granted to:

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS-MARINDUQUE DISTRICT ENGINEERING OFFICE REPRESENTED BY EVELYN R. PUERTOLLANO, DISTRICT ENGINEER

For the Purpose of REHABILITATION OF MAKULAPNIT ROAD, STA. CRUZ, MARINDUQUE

located at

Barangay Makulapnit, Sta. Cruz, Marinduque

(Continuation...)

- 6. Pursuant to Memorandum dated 20 October 2011 of the Executive Secretary re: "Proposed Additional Exemptions under "Similar Activities" of Section 2, Item 2.2 of Executive Order No. 23 (S. 2011)", the permittee is required to replace each tree to be cut with at least one hundred (100) seedlings, all preferably indigenous species with at least one (1) meter in height to be planted by the permittee in close coordination with PENRO Marinduque in support of National Greening Program (NGP) and Climate Change initiatives of the Government;
- 7. The tree cutting operations shall, at all times, be under the direct supervision of the PENRO Marinduque, or his duly authorized representative(s);
- 8. The permittee shall be required to undertake measures during and after tree cutting operations to mitigate the possible impacts of the said activity to the locality and the environment; and
- 9. Violation of any of the terms and conditions of the permit to be issued shall be sufficient ground for the termination/cancellation of this permit, subject to due process without prejudice to the imposition of appropriate penalties pursuant to existing regulations, and one strike policy to concerned DENR official(s) and/or personnel.

This permit is effective <u>Fifty (50) days</u> upon receipt hereof or as soon as the authorized number of trees had already been cut, whichever comes first.


Issued this \_\_\_\_\_\_, 2022, at DENR PENRO Marinduque, Capitol Compound, Brgy. Bangbangalon, Boac, Marinduque.

By the Authority of the Secretary:

OIC, PENR Officer

page 2 of 2

Capitol Compound, Barangay Bangbangalon, Boac, Marinduque Telephone Nos.: (042) 332-1490/(042) 332-0727/(042) 332-0927/(042) 332-1913 Website: https://penromarinduque.gov.ph/ Email: penromarinduque@denr.gov.ph



## SPECIAL TREE CUTTING PERMIT NO. DENR PENRO MARINDUQUE-2022-015

Pursuant to P.D. 705, as amended, DAO 2018-16, DAO 2020-06 and existing forestry laws, rules, and regulations, a **Special Tree Cutting Permit** is hereby granted to:

### DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS-MARINDUQUE DISTRICT ENGINEERING OFFICE REPRESENTED BY EVELYN R. PUERTOLLANO, DISTRICT ENGINEER

For the Purpose of REHABILITATION OF TALAWAN ROAD, TORRIJOS, MARINDUQUE

located at

Barangay Talawan, Torrijos Marinduque

Subject to the following conditions:

- 1. The trees requested for removal shall be incorporated in the design of the project to be rehabilitated/reconstructed, to the extent possible, to minimize loss of trees;
- 2. Maximum of Fifty-one (51) trees, as verified by PENRO Technical Personnel shall be authorized to be cut. Tabulated below are the trees authorized to be cut:

Table 1. Trees authorized to be cut:

| Name of Species                    | No. of Trees<br>Inventoried | Gross Volume<br>(cu,m) | Net Volume<br>(cu.m) | Tree<br>Category |
|------------------------------------|-----------------------------|------------------------|----------------------|------------------|
| Mango (Mangifera indica)           | 9                           | 3.18                   | 2.226                | Planted          |
| Talisay (Terminalia catappa)       | 1                           | 0.21                   | 0.147                | Natural          |
| Narra (Pterocapus indicus)         | 1                           | 0.29                   | 0.203                | Natural          |
| Ilang-ilang (Cananga odorata)      | 1                           | 0.28                   | 0.196                | Natural          |
| Talibig (Tibig) (Ficus nota)       | 1                           | 0.23                   | 0.161                | Natural          |
| Alagaw (Premna abbreviate)         | 2                           | 0.47                   | 0,329                | Natural          |
| Gmelina (Gmelina arborea)          | 28                          | 12.28                  | 8.596                | Planted          |
| Langka (Artocarpus heterophyllus)  | 1                           | * 0.37                 | 0.259                | Planted          |
| Fire tree (Delonix regia)          | 1                           | 0.39                   | 0.273                | Natural          |
| Acacia (Rain tree) (Samanea saman) | 2                           | 0.55                   | 0.385                | Natural          |
| Miscellaneous species              | 4                           | 1.92                   | 1.44                 | Natural          |
| Grand Total                        | 51                          | 20.17                  | 14.49                | 4                |

- The trees cut and parts thereof shall be properly turned over to PENRO Marinduque by the permittee and must be accompanied by a letter indicating the number of logs, species, and its corresponding volume to be officially acknowledged and recorded by the Monitoring and Enforcement Section for proper disposition based on existing guidelines;
- 4. Issues that will arise from the tree cutting should be addressed directly by the permittee;
- 5. Prior to tree cutting operations, a placard or signboard measuring 4' x 8' shall be installed within the cutting area informing the public that the tree cutting operation is authorized by the DENR and indicating the name of the permittee, the purpose of tree cutting and the number of trees to be cut;

page 1 of 2

Capitol Compound, Barangay Bangbangalon, Boac, Marinduque Telephone Nos.: (042) 332-1490/(042) 332-0727/(042) 332-0927/(042) 332-1913 Website: https://penromarinduque.gov.ph/ Email: penromarinduque@denr.gov.ph



## SPECIAL TREE CUTTING PERMIT NO. DENR PENRO MARINDUQUE-2022-015

Pursuant to P.D. 705, as amended, DAO 2018-16, DAO 2020-06 and existing forestry laws, rules, and regulations, a **Special Tree Cutting Permit** is hereby granted to:

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS-MARINDUQUE DISTRICT ENGINEERING OFFICE REPRESENTED BY EVELYN R. PUERTOLLANO, DISTRICT ENGINEER

For the Purpose of REHABILITATION OF TALAWAN ROAD, TORRIJOS, MARINDUQUE

located at

**Barangay Talawan, Torrijos Marinduque** 

(Continuation...)

- 6. Pursuant to Memorandum dated 20 October 2011 of the Executive Secretary re: "Proposed Additional Exemptions under "Similar Activities" of Section 2, Item 2.2 of Executive Order No. 23 (S. 2011)", the permittee is required to replace each tree to be cut with at least one hundred (100) seedlings, all preferably indigenous species with at least one (1) meter in height to be planted by the permittee in close coordination with PENRO Marinduque in support of National Greening Program (NGP) and Climate Change initiatives of the Government;
- 7. The tree cutting operations shall, at all times, be under the direct supervision of the PENRO Marinduque, or his duly authorized representative(s);
- 8. The permittee shall be required to undertake measures during and after tree cutting operations to mitigate the possible impacts of the said activity to the locality and the environment; and
- 9. Violation of any of the terms and conditions of the permit to be issued shall be sufficient ground for the termination/cancellation of this permit, subject to due process without prejudice to the imposition of appropriate penalties pursuant to existing regulations, and one strike policy to concerned DENR official(s) and/or personnel.

This permit is effective <u>Fifty (50) days</u> upon receipt hereof or as soon as the authorized number of trees had already been cut, whichever comes first.

Issued this \_\_\_\_\_\_, 2022, at DENR PENRO Marinduque, Capitol Compound, Brgy. Bangbangalon, Boac, Marinduque.

By the Authority of the Secretary:

OIC, PENR Officer

page 2 of 2

Capitol Compound, Barangay Bangbangalon, Boac, Marinduque Telephone Nos.: (042) 332-1490/(042) 332-0727/(042) 332-0927/(042) 332-1913 Website: https://penromarinduque.gov.ph/ Email: penromarinduque@denr.gov.ph



### SPECIAL TREE CUTTING PERMIT NO. DENR PENRO MARINDUQUE-2022-031

Pursuant to P.D. 705, as amended, DAO 2018-16, DAO 2020-06 and existing forestry laws, rules, an regulations, a Special Tree Cutting Permit is hereby granted to:

### DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS-MARINDUQUE DISTRICT ENGINEERING OFFICE REPRESENTED BY EVELYN R. PUERTOLLANO, DISTRICT ENGINEER

For the Purpose of

ASSET PRESERVATION PROGRAM-REHABILITATION/ RECONSTRUCTION/ UPGRADING OF DAMAGE PAVED ROADS-TERTIARY ROADS TIGWI-DAMPULAN-LIPATA-YOOK-BUENAVISTA RD. K0090+186-K0090+372 BRGY. BUENAVISTA, MARINDUQUE

> located at Barangay Yook, Buenavista, Marinduque

Subject to the following conditions:

- 1. The trees requested for removal shall be incorporated in the design of the project to be rehabilitated/reconstructed to the extent possible, to minimize loss of trees;
- 2. Maximum of Seven (7) trees, as verified by PENRO Technical Personnel shall be authorized to be cut. These i shown in the table below.

Table 1. Trees authorized to be cut:

| Table 1. Trees authorized to be | No. of Trees<br>Inventoried | Gross<br>Volume<br>(cu.m) | Net Volume<br>(cu.m) | Tree<br>Category<br>(Planted/<br>Naturally<br>grown) |
|---------------------------------|-----------------------------|---------------------------|----------------------|--|
|                                 | -                           | 0.812                     | 0.568                | Planted  |
| Sampalok (Tamarindus indica)    | 1 2                         | 1.193                     | 0.835                | Natural  |
| Acacia (Samanea saman)          | 3                           | 0.184                     | 0.128                | Planted  |
| Mango (Mangifera indica)        | 3                           | 0,038                     | 0.026                | Natural  |
| Talisay (Terminali catappa)     | 1                           |                           |                      | 100  |
| Grand Total                     | 7                           | 2.23                      | 1.557                |  |



Capitol Compound. Barangay Bangbabangalon. Boac, Marinduque Telephone Nos.: (042) 332-1490/(042) 332-0727/(042) 332-0927/(042) 332-1913 Website: https://penromarinduque.gov.ph/

Email: penromarinduque@denr.gov.ph



## SPECIAL TREE CUTTING PERMIT NO. DENR PENRO MARINDUQUE-2022-031

Pursuant to P.D. 705, as amended, DAO 2018-16, DAO 2020-06 and existing forestry laws, rules, and regulations, a **Special Tree Cutting Permit** is hereby granted to:

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS-MARINDUQUE DISTRICT ENGINEERING OFFICE REPRESENTED BY EVELYN R. PUERTOLLANO, DISTRICT ENGINEER

For the Purpose of

ASSET PRESERVATION PROGRAM-REHABILITATION/ RECONSTRUCTION/ UPGRADING OF

DAMAGED PAVED ROADS-TERTIARY ROADS TIGWI-DAMPULAN-LIPATA-YOOKBUENAVISTA RD. K0090+186-K0090+372 BRGY. BUENAVISTA, MARINDUQUE

located at

Barangay Yook, Buenavista, Marinduque

- 3. (The trees cut and parts thereof shall be properly turned over to PENRO Marinduque by the permittee and must be accompanied by a letter indicating the number of logs, species, and its corresponding volume to be officially acknowledged and recorded by the Monitoring and Enforcement Section for proper disposition based on existing guidelines;
- 4. Issues that will arise from the tree cutting should be addressed directly by the permittee;
- 5. Prior to tree cutting operations, a placard or signboard measuring 4' x 8' shall be installed within the cutting area informing the public that the tree cutting operation is authorized by the DENR and indicating the name of the permittee, the purpose of tree cutting and the number of trees to be cut;
- 6. Pursuant to Memorandum dated 20 October 2011 of the Executive Secretary re: "Proposed Additional Exemptions under "Similar Activities" of Section 2, Item 2.2 of Executive Order No. 23 (S. 2011)", the permittee is required to replace each tree to be cut with at least one hundred (100) seedlings, all preferably indigenous species with at least one (1) meter in height to be planted by the permittee in close coordination with PENRO Marinduque in support of National Greening Program (NGP) and Climate Change initiatives of the Government;
- 7. The tree cutting operations shall, at all times, be under the direct supervision of the PENRO Marinduque, or her duly authorized representative(s);
- 8. The permittee shall be required to undertake measures during and after tree cutting operations to mitigate the possible impacts of the said activity to the locality and the environment;

page 2 of 3

Capitol Compound, Barangay Bangbangalon, Boac, Marinduque Telephone Nos.: (042) 332-1490/(042) 332-0727/(042) 332-0927/(042) 332-1913 Website: https://penromarinduque.gov.ph/ Email: penromarinduque@denr.gov.ph



### SPECIAL TREE CUTTING PERMIT NO. DENR PENRO MARINDUQUE-2022-031

Pursuant to P.D. 705, as amended, DAO 2018-16, DAO 2020-06 and existing forestry laws, rules, and regulations, a **Special Tree Cutting Permit** is hereby granted to:

#### DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS-MARINDUQUE DISTRICT ENGINEERING OFFICE REPRESENTED BY EVELYN R. PUERTOLLANO, DISTRICT ENGINEER

For the Purpose of

ASSET PRESERVATION PROGRAM-REHABILITATION/ RECONSTRUCTION/ UPGRADING OF DAMAGED PAVED ROADS-TERTIARY ROADS TIGWI-DAMPULAN-LIPATA-YOOK-BUENAVISTA RD. K0090+186-K0090+372 BRGY. BUENAVISTA, MARINDUQUE

located at

Barangay Yook, Buenavista, Marinduque

- 9. The permittee shall be required to undertake measures during and after tree cutting operations to mitigate the possible impacts of the said activity to the locality and the environment; and
- 10. Violation of any of the terms and conditions of the permit issued shall be sufficient ground for the termination/cancellation of this permit, subject to due process without prejudice to the imposition of appropriate penalties pursuant to existing regulations, and one strike policy to concerned DENR official(s) and/or personnel.

This permit is effective <u>Fifty (50) days</u> upon receipt hereof or as soon as the authorized number of trees had already been cut, whichever comes first.

Issued this \_\_\_\_\_\_, 2022, at DENR PENRO Marinduque, Capitol Compound, Brgy. Bangbangalon, Boac, Marinduque.

By the Authority of the Secretary:

OIC, PENR Officer





DENR by the Bay Bldg., 1515 Roxas Boulevard, Ermita, Manila DENR VOIP (02) 8248-3367 / 8249-3367 local 2701 Website: http://mimaropa.denr.gov.ph Email: mimaroparegion@denr.gov.ph

August 24, 2022

#### **MEMORANDUM**

**FOR** 

The Regional Executive Director

**DENR MIMAROPA Region** 

THRU

The OIC Assistant Regional Director for Technical Services

**FROM** 

The OIC-PENR Officer

**SUBJECT** 

APPLICATION FOR FOREST LAND-USE AGREEMENT FOR

TOURISM (FLAgT) OF MR. ARIEL OLA LOCATED AT BRGY.

CAPAYANG, MOGPOG, MARINDUQUE

In compliance with your Memorandum dated March 2, 2021 regarding the lacking requirements on FLAgT application of Mr. Ariel N. Ola, please find the attached documents that he has submitted, to wit:

1. Clearance/Certification from the Tourism Office, Municipality of Mogpog;

2. NCIP Certification;

3. Barangay Certification; and

Official Receipt for the Application Fee.

For your evaluation and consideration/approval.

**IELDA N** 

C EXPRESS, INC. Accepted After Cut-off THIS SERVES AS AN OFFICIAL RECEIPT MIN : 15882915343128365 - 842 3322268 (63) 3212 2674 8718 CONSIGNEE: And or/ care of:/

NR PENRO MARINDUQUE, NA dress: CAPITOL COMP, BANGBANGALON AC, MARINDUQUE ntact No.(s).: 3320727 /9561552771 rd Number: TIN: Bus. Style:

THE REGIONAL EXECUTIVE DIRECTOR, NA Address: DENR IV B MIMAROPA 1515 L AND S BLDG ROXAS

rgo KB Medium

Track your padala at: www.lbcexpress.com

Talk to our Care Representative www.lbcexpress.com

Tel. (632) 8858-5999 1-800-10-8585-999

Let us know of your experience: survey. lbcexpress.com

**MEMORANDUM** 

The Regional Executive Director **FOR** 

**DENR MIMAROPA Region** 

**THRU** 

The OIC Assistant Regional Director for Technical Ser

THE OIC-PENR Officer **FROM** 

APPLICATION FOR FOREST LAND-USE AGREEMENT FOR **SUBJECT** 

TOURISM (FLAGT) OF KAPATIRANG MARINDUQUEÑO -NANGKA II AGRICULTURE COOPERATIVE NANGKA II,

MOGPOG, MARINDUQUE

In compliance with your Memorandum dated March 2, 2021 regarding the lacking requirements on FLAgT application of Kapatirang Marinduqueño-Nangka II Agriculture Cooperative, represented by Mr. Chito L. Morada, attached are the following lacking documents for your reference and further evaluation, to wit;

1. Certificate of Registration with Cooperative Development Authority (CDA)

2. Certificate of Non-Overlap (NCIP)

3. LGU-Nangka-II Endorsement

4. Clearance/ Certification from Tourism Office

Please be informed that the said lacking requirements were submitted only on July 26, 2022.

For information and consideration/approval.

IMELDA M

September 5, 2022

3 INCOMING

21. 21.22

OUTGOING DATS NO.